Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE TRADE LIST

Autumn 1905

HARDY ORNAMENTALS

POR over half a century we have made this our specialty, ignoring fruits and tender plants. To-day we enjoy the confidence of patrons in all parts of the country and ship to foreign shores successfully.

¶ We do not sacrifice everything in a desire to undersell other nurserymen. Our first object is to grow good stock—the thrifty, well-rooted kind. To do this, we spare no means to follow the methods learned by long experience.

¶ Ample manure, thorough cultivation and constant care and attention mean an increase in the cost of production but they also mean a decided improvement in the quality, and by adopting these measures, we have developed three hundred acres of the kind of stock that is sure to please the purchaser.

¶ Further information freely and cheerfully given.

Thomas Meehan & Sons, Inc.

NURSERYMEN AND TREE SEEDSMEN

WHOLESALE DEPARTMENT

Dreshertown, Montg. Co., Pennsylvania

300 ACRES

Wholesale Trade List

AUTUMN 1905

N preparing this, our Wholesale Trade List for Autumn 1905, we have aimed to present our large collection of Hardy Ornamentals to the purchaser in the most concise form. With this object in mind and in view of the fact that it is intended for the trade, illustrations and descriptions have been purposely omitted. To those unacquainted with the stock, however, we will gladly furnish descriptive matter upon application. In fact, we delight in giving information pertaining to Hardy Ornamental Plants and inquiries are solicited.

Customers are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named we forward to the best of our judgment.

Responsibility —After goods are placed on board cars here we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

All Claims must be made upon receipt of goods.

Terms Cash, on or before delivery to express or railroad agents, unless by special arrangement.

Two Hundred and Fifty, twenty-five and five will be furnished at the thousand, hundred and ten rates respectively.

Packing Charged Extra, but only sufficient to cover cost of time and material.

Post Office Orders payable at Dreshertown, Montgomery Co., Pa.

Telegraph Office, Ambler, Pa.

Visitors are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for Camp Hill Station, or at Broad Street Station, Pennsylvania R. R., for Fort Hill Station. Be sure that the train you take stops at these stations.

Notice.—It is necessary that you should Telephone us (Bell Phone, 26 Fort Washington; Keystone Phone, 76-Y Jenkintown), in advance of your coming, so that we can send a carriage to the station for you. Our office is 2½ miles from either station.

[COPY OF CERTIFICATE]

THE COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ACRICULTURE

Certificate of Inspection of Nursery Stock No. 744.

This is to certify that the stock in the nursery of THOMAS MEEHAN & SONS, INC., of Dreshertown, County of Montgomery, State of Pennsylvania, was duly examined in compliance with the provisions of the Act of Legislature of Pennsylvania, approved the 10th day of June, A. D., 1901, and it was found to be apparently free from San Jose Scale and other dangerously injurious insect pest or pests. Examination made by GEO. C. BUTZ, Inspector, Department of Agriculture.

This Certificate expires July 31, 1906.

Dated Harrisburg, Pa., August 17, 1905

GEO. C. BUTZ, Inspector.

Inspected August 3rd, 1905.

Secretary of Agriculture.

Deciduous Trees

"Trans." signifies the stock has been once or more transplanted.

"Seed." that it is still in seedling beds.

Where stock is marked "Specimen" it indicates trees that have been several times transplanted, of good shape, straight stems, and have been grown especially for individual specimen trees.

	Per 10 Per 100 Per 1000	,
Acer	campestre, English Cork Maple	
	2 to 2½ ft. trans	
4.4	colchicum rubrum, Colchican Maple	
	18 to 24 in. trans	
44	dasycarpum, Silver Maple	
	8 to 10 ft. trans	
6.6	dasycarpum Weirii, Weir's Cut-leaf Maple	
	7 to 8 ft. trans	
66	negundo, Ash-leaved Maple, Box Elder	
	1 ft. seed. 25 50 3 50 2 to 3 ft. seed. 30 60 4 to 5 ft. seed. 50 75 70 6 to 8 ft. seed. 60 85 7 00 10 to 12 ft. trans. 2 50 20 00 175 00 1½ to 2 in. caliper. 3 50 30 00 300 00 2 to 2½ in. caliper. 4 00 35 00 2½ to 2½, in. caliper. 5 00 40 00 3 to 3¼ in. caliper. 15 00	
"	macrophyllum, Oregon Maple	
	12 to 18 in. seed	
44	Pennsylvanicum (striatum), Striped Maple	
"	2 to 3 ft. trans. 2 50 20 00 3 to 4 ft. trans. 3 50 30 00 4 to 5 ft. trans. 4 00 35 00	
••	platanoides, Norway Maple	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
Ou	r Norway Maples are a particularly fine, straight lot,	

good straight trunks and well rooted. We have large and fine

blocks of these trees.

	_		_		_	
		r 10	Per	100	Per 100	0
Acer	pseudo-platanus, Sycamore Maple 6 to 12 in. seed	25		50	3 5	٥
	1 to 2 ft. seed	35 40 75 00 50 00	15 17 30	60 65 00	$\begin{array}{c} 4 & 0 \\ 5 & 0 \\ 125 & 0 \\ 150 & 0 \end{array}$	0 0
"	rubrum, Red or Scarlet Maple	00				
	5 to 6 ft. trans 3	50				
66	saccharinum, Sugar or Rock Maple					
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	12 15 50 75 100	$\begin{array}{c} 0 0 \\ 0 0 \\ 0 0 \end{array}$		
44	saccharinum nigrum, Black Sugar Ma	aple				
	6 to 8 ft. trans	50 50 00 00	20	00		
"	Tataricum, Tartarian Maple					
	3 to 4 ft. trans					
44	Tataricum Ginnala					
	6 to 8 in. seed	35 40 75 50 00			15 0	0

The Acer Ginnala is one of the best bush-like trees in cultivation, and should be largely used in park and cemetery plantings, either as a single specimen, or in large masses. Nothing surpasses the richness of its coloring in the fall. It can also be used for ordinary hedges. It grows dense and compact and will stand any amount of shearing. It is perfectly hardy, and we can especially recommend it for this purpose.

JAPANESE MAPLES

All of the Japanese Maples offered by us are of our own propagation. Customers who have planted them side by side with the rough, hide-bound and poorly rooted imported Japanese plants quickly recognize the merits of our homegrown stock. It is worth the little additional price charged over the imported stock. Note that most of the stock offered is pot grown. They transplant more easily by handling them in that way. All field-grown stock has been frequently transplanted.

Acer	polymorphum ampelopsilobum			Per	100 Pe	r 1000
"	2 to 2½ ft. from 6-inch pots					
	polymorphum atropurpureum, Bloc	od-l	eave	d		
	10 to 15 in. bushy, field grown 15 to 18 in. bushy, field grown 18 to 24 in. bushy, field grown	. 7	50			
	18 to 24 in. bushy, field grown	.12	50			
	20 to 24 in. extra heavy, field grown	.20	00			
	20 to 24 in. bushy, field grown 2 to 2½ ft. very bushy, field grown 2½ to 3 ft. heavy, spec. field grown 3 to 3½ ft. extra heavy, specimens field grown	. 25	00			
	3 to 3\% ft. extra heavy, spec. held grown	. 00	00			
	field grown	.60	00			
"	polymorphum cristatum, Green Fe 12 to 18 in. field grown			ed		
44	polymorphum dissectum, Green C 18 to 24 in. field grown	ut-l	eave	ed		
"	polymorphum dissectum atropur leaved			, P	urple	Cut-
	18 to 24 in. field grown	.10	00			
"	18 to 24 in. field grown	.15 .17	00 50			
	polymorphum reticulatum	10				
	18 to 24 in. field grown	.10	00			
Æ		. 1 1	30			
ÆSCI	ılus glabra, Ohio Buckeye		25	1	00	
	8 to 12 in. seed. 5 to 6 ft. trans. 8 ft. low branched, specimens, 234 to 3 in. caliper.	. 4	00	35		
	8 ft. low branched, specimens, 21/2	2				
"	to 3 in. caliper	.30	00			
••	hippocastanum, Eu. Horse Chestn					- 00
	8 to 12 in. seed	. 1	25	12	65	5 00
	3 to 4 ft. trans	. 2	00	14	00	
	6 to 8 ft. trans	. 3	50			
44	hippocastanum alba plena, Double	WI	hite	Flov	wered	
	6 to 8 ft. trans	. 4	0.0			
44	hippocastanum rubra plena, Red F			ł		
	6 to 7 ft. trans	. 5	00			
	8 to 9 ft. trans	.10	00			
Ailar	thus glandulosa, Tree of Heaven					
	2 to 3 ft	. 1	25			
	3 to 4 ft. trans	. 1	50			
"	glandulosa, female		•			
	2 to 3 ft trans	9	0.0			
	2 to 3 ft. trans	. 2	50			
	5 to 6 ft. trans	. 3				
	e female plants do not have the d	isa	gree	able	odor	when
in flo	wer that the male form have.					
Alnu	s glutinosa, European Alder					
	6 to 8 ft. trans	. 1	50			
	8 to 10 ft. trans	. 2	00		00	
**		. 0	00	23	00	
	incana	9	0.0	10	00	
	8 to 10 ft. trans	. 3	0.0	25	00	
	1½ to 2 in. caliper	. 3	50		00	
	2 to 2½ in. caliper	. 5	00			
**	2 ½ to 3 in. camper	. о	00			
••	serrulata (rugosa)	0	F.0			
	3 to 4 ft. trans. heavy clumps 4 to 5 ft. trans. heavy clumps	. 2	50			
Amy	gdalus Persica, Double Pink Flowe	erin	g P	each		
"	5 to 6 ft. trans					
	5 to 6 ft. trans					
And	romeda arborea, Sorrel Tree					
	2 to 21/2 ft. trans	. 3	50			
Aral	ia Japonica					
11 21	3 to 4 ft. trans	. 1	75			
	4 to 6 ft. trans	. 2	50			
	6 to 8 ft. trans	. 3	50			

Analia Mandahuniaa (Dimananthus)	Pe	r 10	Per	100	Per 10	00
Aralia Mandshurica (Dimorpanthus)	1	75				
2 to 3 ft. trans	$\tilde{2}$	50				
" spinosa	1	95	10	0.0		
12 to 18 in. trans Betula alba, Eu. White Birch	1	23	10	00		
3 to 4 ft. trans	1	25	10	00	90	
3 to 4 ft. trans	$\frac{1}{2}$	50 00	12 18	00	100	00
6 to 8 ft. trans	2	50	20	00		
6 to 8 ft. trans	3	00 50		00		
" alba laciniata, Cut-leaf Weeping I		ch				
5 to 6 ft. trans	5	00				
" lenta, Sweet Birch	0	50				
	2	50				
4 to 6 ft. trans	3	00 50				
" lutea, Yellow Birch	Ü	90				
4 to 5 ft. trans	2	00	18	00		
		50				
" rubra (nigra), Red or Water Birch		25	10	0.0		
4 ft. trans	1	75		00	125	00
4 ft. trans 6 to 8 ft. trans. 8 to 10 ft. trans	3	50 00				
12 to 15 it. trans	Э	00				
Carpinus Americanus, Am. Hornbeam or	٧	Vate 00			1	
18 to 24 in. trans	1	25		00		
3 to 4 ft. trans	$\frac{1}{2}$	75 50	15 20	00		
" Betulus, European Hornbeam	-	00	20.	00		
2 to 2½ ft. trans	1	50	12	00		
Carya alba, Shellbark Hickory						
4 to 8 in. seed		35	1	50		
" amara, Bitternut 2 to 3 ft. seed		35 '	2	0.0	12	0.0
3 to 4 ft. seed		75	$\tilde{4}$	00		• •
" olivaeformis, Pecan						
4 to 8 in. seed	3	35 00	1	50		
" tomentosa						
4 to 8 in. seed		35	1	50		
" sulcata		0.5		-0		
4 to 10 in. seed		35	1	50		
Castanea Americana, American Chestnu	2	0.0	18	00		
5 to 6 ft. trans	2	50	20	00		
" Japonica, Japanese Chestnut 3 to 4 ft. trans. bushy, bearing size.		00				
Catalpa bignonoides, Eastern Catalpa	9	00				
2 to 3 ft. seed		25		75		
3 to 4 ft. seed	1	35 50	1	00		
2 to 3 ft. seed	20	00				
" higher aurea Golden Catalog	40 a	00				
" bignonoides aurea, Golden Catalpa 4 to 5 ft. trans	2	50		aula		
" Bungeii, Standard						1
6 to 8 ft. good one-year heads 5½ to 6 ft. 3 years, large heads	5 10	00			49	
" Bungeii nana, Dwarf Catalpa						
12 to 15 in. bushy	2	00	17	50		
18 In. busny	٥	00	. 12.5		All ST	60

This is a form of Catalpa Bungeii grafted at the ground instead of on tall stems. It makes a dwarf, dense, ball-shape plant, very useful where a formal bush is required.

Catalpa Kaempferi, Japanese				00 Per 1000
4 to 5 ft. trans	1	. 75	15 (10
" speciosa, Western Catalpa		25		50 3 50
\$\frac{6}{5}\$ to \$6\$ ft. trans. \$\frac{7}{5}\$ to \$6\$ ft. trans. \$\frac{7}{5}\$ to \$8\$ ft. trans. \$\frac{9}{5}\$ to \$10\$ ft. trans. \$\frac{13\psi}{4}\$ to \$2\$ in. caliper. \$2\$ to \$2\psi_6\$ in. caliper. \$2\$ \psi_6\$ to \$3\$ in. caliper, specimens. \$3\$ to \$3\psi_6\$ in. caliper, specimens.	1	50	12 (00 100 00
7 to 8 ft. trans	1	75	15 17	00 125 00 50 150 00
1% to 2 in. caliper	3	00	25	
2 to 2½ in. caliper	3	50		
2½ to 3 in. caliper	$1 \cdot 1 \cdot 20$	00		
3 to 3½ in. caliper, specimens	25	00		
Cerasus avium flora piena, Double W	nite	F10		
3 to 4 ft. trans			20	
" sinensis alba plena, Double Whi 2 to 3 ft. trans	ite i	-10W	ering 20	Cherry
" sinensis flora plena, Double Pir				
3 to 4 ft. trans			20	
" sinensis Sieboldi flora plena,				
Flowering Cherry				
2 to 3 ft. trans]	1 75		
2 to 3 ft. trans		2 50 3 50	20 30	
" sinensis ranunculaeflora, Double				
2 to 3 ft. trans				
" Padus, European Bird Cherry				
5 to 6 in. seed	٠٠٠ .	25		75
3 to 4 ft. trans		1 50	$^{10}_{12}$	
4 to 5 ft. trans		75	15	00
2 to 3 ft. trans. 3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans. 6 to 8 ft. trans. heavy.	;	2 50	20	00
" serotina, American Bird Cherry	,	00		
12 to 18 in. seed		35		75 6 00
2 to 3 ft. trans		1 00	10	0.0
3 to 4 ft. trans	::::	1 25	10	00
4 to 5 ft. trans	:	2 00	18	
8 to 9 ft. trans		2 50	$\frac{20}{30}$	
" Virginiana		5 50	50	00
4 to 5 ft. trans	:	1 75		
4 to 5 ft. trans	:	2 50		
Cercidiphyllum Japonicum		- 00	•	
5 to 6 ft. trans			Dd	
2 to 3 ft trans		1 95	10	0.0
3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans. 4 to 6 ft. trans. specimens. 6 to 7 ft. trans. specimens.		1 75	15	00
4 to 5 ft. trans		2 00	$\frac{18}{25}$	
4 to 6 ft. trans. specimens	::: :	7 50	50	00
6 to 7 ft. trans. specimens	1	2 50	100	00
" Japonica, Japanese Judas		0.5	-	0.0
8 to 12 in. trans		1 00		00 00
2 to 3 ft. trans. heavy, bushy pla	ints	2 50	20	
plants	sny	3 50	30	0.0
We have perhaps the largest and fi	nest	stoc	k of	Judas, both
American and Japanese, in the co	untr	у.	The	plants are
strong, bushy and well rooted. We ca	all p	artic	ular a	attention to
the specimen sizes of both varieties	s.	Thes	e we	re recently
transplanted, and set sufficiently win				
afford room to develop. They are plants are required to produce imme				eiui where
Cladrastis tinctoris (Virgilia lutea),			vood	
2 to 3 ft. trans	1	0 00		
Cornus florida, White Flowered Dogwe				
2 to 3 ft. trans		1 35	12	00 100 00
2 to 3 ft. trans		2 50	20 25	00
6 ft. trans. specimens	1	2 50	20	• •
-				

Corn	nus florida pendula, Weeping White 2 to 3 ft. trans	Flow			Per 1000
	3 to 4 ft. trans	4 00			
Crat	aegus. (See Shrubs, page 16.)				
Dime	orpanthus Mandshurica				
	2 to 3 ft. trans	1 75			
Dios	pyrus Virginiana, American Persim	mon	10	0.0	
	3 to 4 ft. trans	1 75		00	
	5 to 6 ft. trans	2 50	20	00	
F		3 50	30	00	
ragu	s ferruginea, American Beech 3 to 4 ft. trans	5 00			
66	sylvatica, European Beech	0 00			
	6 to 8 ft. trans. heavy	5 00	35	00	
	6 to 8 ft. trans. heavy 8 to 10 ft. trans. specimens	10 00			
44	heterophylla, Cut-leaved Beech				
	12 to 18 in. trans	1 75	15	00	
**		2 30			
	pendula, Weeping Beech 1 to 2 ft. trans	1 50			
44	purpurea, Copper Beech	1 00			
	10 to 18 in. trans	1 25	10	00	
	1 to 2 ft. trans 2 to 3 ft. trans	1 75	15	00	
44	Rivers' Blood-leaf Beech	2 50			
	6 to 8 ft. trans	7 50			
Frax	tinus Americana, American White				
1147	6 to 10 in. seed			75	5 00
	8 to 12 in. seed	35	10	85	6 00
	8 to 12 in. seed	1 35 1 75		00	125 00
	6 to 8 ft. trans	2 50	20	00	120 00
	8 to 9 ft. trans	3 00	25	00	
44	excelsior, English Ash	0 00			
	6 to 10 in. seed	25		75	
	8 to 10 ft. trans	3 00			
	10 to 12 ft. trans	3 50 5 00	30	00	
	12 to 14 ft. trans. specimens 12 to 14 ft. trans. 2 to 3 in. caliper,	0 00			
	specimens	25 00			
	specimens	35 00			
44	excelsior aurea, Golden Ash				
	3 to 4 ft. trans	2 50			
44	excelsior globosa, Globe-headed As	h			
	Grafted on stems 7 to 8 ft. high	10 00			
"	excelsion heterophylla, Cut-leaved				
	8 to 10 ft. trans				
44	Ornus, Flowering Ash				
	6 to 8 ft. trans	3 00			
	8 to 10 ft. trans	4 00			
- 44		5 00			
	quadrangulata, Blue Ash	1 75	15	00	
1/13/13	5 to 6 ft. trans	2 50	20	00	
	8 to 10 ft. trans	3 50	30	00	
		1 05	10	0.0	
	2 to 3 ft. trans	1 50		00	
		2 00		Õΰ	
44	viridis, Green Ash				
	5 to 6 ft. trans	2 50		00	
	x to 9 II. Irans	3 00		00	
	10 to 11 ft. trans. 1\% to 1\% in.		75	00	
	specimens	12 50	100	00	
	/-				

		Per 100	Per 1000
Gleditschia triacanthos, Honey Loc 6 to 10 in. seed		50	3 50
10 to 12 in, seed	35	60	3 50 4 00
2 to 3 ft. trans	$$ $\frac{75}{175}$	$\begin{array}{ccc} & 5 & 00 \\ 15 & 00 \end{array}$	
6 ft. trans	2 00	10 00	
" inermis	0.50		
4 to 5 ft. trans			
12 to 18 in. seed	35	1 00	6 00
18 to 24 in. seed	50	$\begin{array}{ccc} 1 & 50 \\ 18 & 00 \end{array}$	8 00
5 to 6 ft. trans. 6 to 7 ft. trans. 8 to 9 ft. trans.	2 50	20 00	
Jugkans cineria, Butternut	3 00		
3 to 4 ft. trans	1 50	12 00	
10 ft. trans	5 00		
" nigra, Black Walnut	1 50	12 00	
3 to 4 ft. trans	1 75	$\begin{array}{ccc} 12 & 00 \\ 15 & 00 \end{array}$	
" regia, English Walnut, Madera	Nut		
2 to 3 ft. trans			
Koelreuteria paniculata, Japanese \	arnish i	ree 1 50	
5 to 6 in. seed	1 75		
4 to 5 it. trans	2 50 $$ 7 50		
Liquidambar styraciflua, Sweet Gun			
5 to 6 ft. trans	3 00		
7 to 8 ft. trans	$$ $\frac{3}{7}$ $\frac{50}{50}$		
Liriodendron tulipifera, Tulip Tree			
4 to 5 ft. trans	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00	
6 to 8 ft. trans	3 50	30 00	
Magnetic comprises Chinese White	4 00		
Magnolia conspicua, Chinese White 3 to 3½ ft. with ball	20 00		
" glauca, Swamp White Magnoli	a		
1 to 2 ft. trans 2 to 3 ft. trans	3 50		
" Kobus	+ 00		
2 to 2½ ft. trans	5 00	40 00	
" Lennei, Large Purple Flowere			
1 to $1\frac{1}{2}$ ft. bushy, with ball 2 to $2\frac{1}{2}$ ft. bushy, with ball	8 50		
" Soulangeana, Large Pink Flow		nolia	
18 to 24 in. trans. with ball	8 50		
" speciosa, Early Pink Flowered			
12 to 18 in. with ball	10 00	•	
$3\frac{1}{2}$ to 4 ft. with ball	13 50		
" stellata (Halleana), Hall's Wh	ite Star F	lowered	
1 to $1\frac{1}{2}$ ft. with ball	8 50		
2 1/2 to 3 ft. with ball	15 00		
" tripetela, Umbrella Tree			
4 to 5 in. seed	35	1 75	15 00
12 to 14 ft. 3 to 4 in. specimens	30 00		
Morus alba, White Mulberry			
10 to 12 in. seed	$\begin{array}{ccc} \dots & 25 \\ \dots & 35 \end{array}$	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 12 & 00 \end{array}$
" Tatarica, Russian Mulberry		_ 00	00
8 to 12 in. seed	25	1 25	10 00
7 to 8 ft. trans	2 50	20 00	
3 to 4 ft. trans	1 75	15 00	
" Tea's Weeping Mulberry			
Strong 1 year heads 5 to 6 ft. trans. large 4-year h	7 50		-
specimens	20 00		51+

					_
			100	Per 10	000
Negundo aceroides. (See Acer negundo, p Ostrya Virginica, Iron-Wood	page	1.)			
18 to 24 in. trans	25				
18 to 24 in. trans	75				
Paulownia imperialis, Empress Tree	0.0				
2 to 3 ft. trans	00				
Phellodendron amurense, Chinese Cork T					
6 to 8 ft. trans 3			_		
Platanus orientalis, European Sycamore,	Euro		n P 00	lane 125	0.0
4 to 5 ft. trans	50	20	00	150	00
6 to 7 ft. trans	00 50	25 30	00 00 00	$\frac{200}{250}$	
9 to 10 ft. trans	0.0	35	υu		
1½ to 1¾ in. caliper 8	50	75	$00 \\ 00$		
1½ to 1¾ in. caliper	50 50	$\frac{100}{125}$	0.0		
2 to 2¼ in. caliper 13 2¼ to 2½ in. caliper 15 2½ to 2½ in. caliper 17 2¾ to 3¼ in. caliper 20	00	135			
$2\frac{1}{2}$ to $2\frac{3}{4}$ in. caliper	00				
2 to 2½ in. caliper, specimens25 2½ to 3 in. caliper, specimens30	00				
3 to 3½ in caliper, specimens35					
Planera Kiaki					
5 to 6 ft. trans	50 00				
12 to 14 ft. 2 in. specimens20	00			•	
Populus alba (argentea), Silver Poplar		•			
7 to 8 ft. trans	50	20	00		
	0.0	18	00		
5 to 6 ft. trans. 2 6 to 7 ft. trans. 2 7 to 8 ft. trans. 3 8 to 10 ft. trans. 4	50				
8 to 10 ft. trans 4	00	35 35	$\begin{array}{c} 00 \\ 00 \end{array}$		
" fastigiata, Lombardy Poplar					
3 to 4 ft. trans			00		
10 to 12 ft. trans. branched to ground 3 12 to 14 ft. trans. branched to ground 4	50	30	00		
12 to 14 It. trans. branched to ground 4 2½ to 3 in. caliper, specimens25 3 to 3½ in. caliper, specimens30	00	35	00		
	00				
	25	10	00		
8 to 10 ft. trans	$\frac{25}{75}$	10	00		
6 to 8 ft. trans	0.0	25	00		
2 to 2½ in. caliper, specimens 10	00		• •		
3 to 3 ½ in. caliper, specimens	$\frac{00}{00}$				
	00				
Prunus Pissardi, Purple-leaved Plum 2 to 4 ft. trans	2.5	10	0.0		
Ptelea trifoliata, Hop Tree	20	20	00		
3 to 4 ft. trans	85	7	00	60	
3 to 4 ft. trans	25 50		00	80 100	
8 to 9 ft. trans. specimens 3	50				
" trifoliata aurea, Golden Hop Tree	9.5				
2 to 3 ft. trans	50				
4 to 5 ft. trans	50 50				
Pterostyrax hispidum					
2 to 2½ ft. trans	50	20	00		
Pyrus aucuparia, European Mountain Asl 4 to 5 ft. trans 1	50				
5 to 6 ft. trans	75				
6 to 8 ft. trans	00				
4 to 5 ft. trans	50				
4 to 5 ft. trans. 1 5 to 6 ft. trans. 2 6 to 7 ft. trans. 2	00 50				
U to 1 It. trans	0 0				

Per 10 Per 100 Per 1000

	Pe	r 10 1	er 100 F	er 1000
Pyru	is aucuparia aria lutescens, Silver-leav		ountain	Ash
	8 to 10 ft. trans 4	0.0		
66	Bechter's Double Flowering Clab			
	2 to 3 ft. trans 2	50		
44	coronaria, Sweet-scented Crab			
	2½ to 3 ft. trans 2	0.0	17 50	
	3 to 4 ft. trans 2	50		
44	aucuparia pendula, Weeping Mountain		1	
	1-year heads 3	50		
44	Americana, American Mountain Ash			
	18 to 24 in. trans 1			
	2 to 2½ ft. trans 2	0.0		
44	floribunda			
	3 to 4 ft. trans 2	50	20 00	
66	floribunda atrosanguinea			
	3 to 4 ft. trans 2			
	5 ft. trans 2	50	20 00	
44	Toringo			
	4 to 5 ft. trans	50		

OAKS

We believe we are the largest growers of Oaks in the United States, and we feel sure that there is no finer stock growing anywhere. Our soil seems particularly adapted to the growth of the Oak. Our trees are well furnished, with bushy heads, and good straight stems. They are stocky and have the best of roots. We get practically no tap root, and in digging we do not allow our men to cut the roots,—they are taken out with the whole root. Note the heavy specimen trees which we offer. They are something extra fine, and where a large, well-developed specimen is required, nothing better could be gotten.

Quer	cus alba, True White Oak					
	2 to 3 ft. trans. 4 3 to 4 ft. trans. 5 4 to 5 ft. trans. 6 5 to 6 ft. trans. 7 6 to 8 ft. trans. 12	00 00 50 50 50	35 40 60 65 100	00		
44	Bannesterii, Scrub Oak					
	1 to 2 ft. seed	35	2	00		
44	bicolor, Swamp White Oak					
	6 to 8 ft. trans	50 00 00 00 00				
	specimens	00				
44	castanea	00				
	12 to 15 in. seed	50	2	50		
44	cerris, Turkey Oak		_			
	4 to 5 ft. trans	00 50 50 00 50 00	50	00		
66	coccinea, Scarlet Oak					
	6 to 12 in. seed	25 40 00 50 50 00 00			12 15 20	00 00 00
	15 to 16 ft. 4¼ to 4¾ in. specimens. 75	00				

Que	rcus digitata	er 10	Per	100	Per 1000
44	1 to 2 ft. seed	75			
**	falcata, Spanish Oak 6 to 10 in. seed	35	1	75	15 00
44	imbricaria, Laurel-leaved Oak 3 to 4 ft. trans	00 50			
44	Iyrata	50			
46	macrocarpa, Mossy Cup or Burr Oak				
	3 to 5 ft. trans. 3 5 to 6 ft. trans. 5 6 to 7 ft. trans. 6 7 to 8 ft. trans. 7 9 to 10 ft. trans. 10 10 to 12 ft. trans. 10 10 to 12 ft. trans. 10 3 to 3½ in. caliper, specimens. 35	00 50 00 00 50	40 50 60 75	00	
"	obtusiloba, Post Oak 6 to 10 in. seed	25 50 00	1	50	12 00
44	olivaeformis				
	12 ft. $1\frac{1}{2}$ to 2 in. caliper	50 00 00			
44	palustris, Pin Oak 1 to 2 ft. seed		1 2 50 60 90 100 125	$00 \\ 00 \\ 00$	$\begin{array}{cccc} 12 & 00 \\ 20 & 00 \\ 400 & 00 \\ 500 & 00 \\ 850 & 00 \\ 900 & 00 \end{array}$
"	12 to 14 it. 5 to 5 ½ in. caliper	00	175		
	palustri-imbricaria 1 to 2 ft. seed. 2 to 2½ ft. seed. 6 to 8 ft. trans. 6 8 to 10 ft. trans. 7 10 to 12 ft. trans. 10 12 to 14 ft. trans. 15	50 00	$\begin{array}{c} 1 \\ 2 \\ 50 \\ 60 \\ 90 \end{array}$	00	
44	Phellos, Willow Oak	0.0	0.5	0.0	
	3 to 4 ft. trans. 4 4 to 5 ft. trans. 5 5 to 6 ft. trans. 6 6 to 8 ft. trans. 7 8 to 10 ft. trans. 10 9 to 10 ft. trans. 2 to 2½ in. spec. 15 10 to 11 ft. trans. 12 10 to 12 ft. trans. 2½ to 3 in. spec. 30	00 00 50 00	35 40 50 60	00	
44	Prinus, Rock Chestnut Oak 6 to 12 in. seed	25	1	50	
	4 to 5 ft. trans. 4 5 to 6 ft. trans. 5 6 to 8 ft. trans. 6 8 to 9 ft. trans. 8 10 to 11 ft. trans. 10 12 ft. trans. 12 9 to 10 ft. 2 to 2½ in. specimens. 15 14 to 18 ft. 4 to 5 in. caliper, spec. 75	00 00 50 00	35 40 50 75 90	00 00 00	
44	robur, English Oak 3 to 4 ft. trans	50	30	00	
	3 to 4 ft. trans 3 4 to 5 ft. trans 4 5 to 6 ft. trans 5 6 to 8 ft. trans 5 8 to 10 ft. trans 8 10 to 12 ft. trans 12 9 to 10 ft. 2½ to 2½ in. caliper, spect 5 15 to 18 ft. 4 to 4¼ in. caliper, spec. 75	00	35 40 50	00 00 00 00	
"	robur concordia, Golden Oak 6 to 7 ft. trans10				

		Per 1	Per 1	00	Per 1000
Quer	cus rubra, Red Oak 2 to 3 ft. seed	40	2	50	20 00
	2 to 3 ft. seed. 4 to 5 ft. trans. 5 to 6 ft. trans. 6 to 8 ft. trans. 8 to 10 ft. trans. 10 to 12 ft. trans.	50 4 00 5 00 6 00 8 00	3	00 00 00	25 00
"	1 ¾ to 2 in. caliper. 2 to 2 ½ in. caliper. 2 ½ to 3 in. caliper. 3 to 3 ½ in. caliper, specimens. 3 ½ to 4 in. caliper, specimens. Texana	$12 50 \\ 15 00 \\ 30 00$	100 125		
	10 to 12 ft. 2½ to 2¾ in. caliper, specimens	30 00			
44	tinctoria, Black Oak 6 to 12 in. seed 1 to 2 ft. seed 4 to 5 ft. trans 5 to 6 ft. trans 6 to 7 ft. trans 8 to 10 ft. trans 1½ to 2 in. caliper 2 to 2½ in. caliper 2½ to 2¾ in. caliper, specimens 3½ to 3¾ in. caliper, specimens	$\begin{array}{c} 35 \\ 4 & 00 \\ 5 & 00 \\ 6 & 00 \\ 8 & 00 \\ 10 & 00 \\ 12 & 50 \\ 30 & 00 \\ 50 & 00 \\ \end{array}$	1 2 35 40 50	00	12 00
Dale!	4 to 41/4 in. caliper, specimens	75 00			
	nia hispida 2 to 3 ft. seed 3 to 4 ft. trans 4 to 5 ft. trans	1 00			
44	hispida rosea, Rose Acacia 12 to 18 in	85 1 00 2 00		00 50	
44	pseud-acacia, Yellow or Black Loc				
44	6 to 12 in. seed. 12 to 18 in. seed. 7 to 9 ft. trans.	30		50 60	3 50 4 00
	pseud-acacia aurea, Golden-leaved 7 to 9 ft. trans	4 00			
44	viscosa 12 to 14 ft. trans	7 50			
"	Bessonia	6 50			
Salis	6 to 8 ft. transburia adiantifolia, Gingko, Maiden I				
C ame	6 to 10 in. seed. 8 to 12 in. seed. 2 to 3 ft. trans. 3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans. 6 to 8 ft. trans. 8 to 9 ft. trans.	25 35 1 50 1 75 2 00 2 50	$\begin{array}{c} 18 \\ 20 \end{array}$	50 00 00 00 00	12 00
Salix	aurea pendula, Golden-barked Wee	ping			
"	6 to 10 in 2 to 3 ft. trans 10 to 12 ft. trans	$\begin{array}{c} 25 \\ 1 & 00 \\ 3 & 50 \end{array}$		50 00	
-	Babylonica, Weeping Willow 6 to 8 ft. trans 8 to 10 ft. trans	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30	00	
"	Britzensis, Red-barked Willow 18 to 24 in	1 00	ı		
"	caprea, Pussy Willow 3 to 4 ft. trans 8 to 10 ft. trans	1 25			
"	regalis (alba), Royal or White-leav 2 ft 7 to 8 ft. trans	ed W			
• "	pentandra, Laurel-leaved Willow 6 to 8 in 3 to 4 ft. tree form 3 to 4 ft. bush form 8 to 9 ft. tree form	$\begin{array}{c} 25 \\ 1 & 25 \\ 1 & 00 \end{array}$	10 9	00	80 0 0 80 00
	O DO D IN CICC LUIIII	0 00	90	0.0	

	Per	10 Per	100	Per 1000
Salix vitellina, Golden Bark	1 0			
2 ft			00	
5 to 6 in. seed. 1 to 2 ft. trans. 4 to 5 ft. trans.	1 2	5 10	25 00	
Styrax Obassia 2 ft. trans 5 to 6 ft. trans		00 20	00	
Taxodium distichium, Bald or Deciduous	с Су	press		
2 to 3 ft. trans	2 5	0 20	00	
Tilia Americana, American Linden 4 to 5 ft. trans. 5 to 6 ft. trans. 6 to 8 ft. trans.	1 7 2 5 3 5	0 20	00	
" argentea, White-leaved Linden 6 to 7 ft. trans	4 0	0		
" Europaea, European Small-leaved L				
8 to 10 ft. heavy and large tops 10 to 12 ft. trans. specimens	$\begin{array}{ccc} 7 & 5 \\ 25 & 0 \end{array}$	00		
" plataphylla, Large-leaved European 3 to 4 ft. trans			0.0	
6 to 8 ft. trans	3 5	30 - 30	00	
" dasystyla				
6 to 8 ft. trans	3 5	0		
Ulmus Americana, American Elm 6 to 12 in. seed. 12 to 18 in. seed. 18 to 24 in. seed. 4 to 5 ft. trans. 5 to 6 ft. trans. 7 to 8 ft. trans. 9 to 10 ft. trans. 11 to 12 ft. trans. 12 to 2 in. caliper. 2 to 2½ in. trans. 12 to 13 ft. ff% to 2 in. specimens. 12 to 14 ft. 2½ to 3 in. caliper, heavy specimens.	3 1 5 1 7 2 0 2 5 3 0 4 0	5 1	50 00 50 00	5 00 7 00 150 00 200 00
" crassifolia				
3 to 4 ft. trans	3 5	0		
" latifolia, Scotch Elm 3 to 4 ft. trans	2 0	0		
5 to 6 ft. trans	3 0	0 25	00	
" racemosa, Cork Elm 4 to 5 ft. trans 5 to 6 ft. trans 6 to 8 ft. trans Virgilia lutea. (See Cladrastis tinctoria	3 0 4 0	0 25 0 35	00 00 00	
Zanthoxylon piperitum, Prickly Ash	, ,,	J//		
2 to 2½ ft. seed. 3 to 4 ft. seed. 3 to 4 ft. trans. bushy. 4 to 4½ ft. trans. bushy.	3 0	5 5 0 25	00 00 00	

Deciduous Shrubs

- "Trans." indicates that the plant has been once or more transplanted.
- "Seed." that it is still in seedling beds, not transplanted.
- Shrubs marked "Specimen" are large, well-developed plants that have been several times transplanted and given room to develop.

This is exceptionally fine stock for planting for immediate effect.

Per 10 Per 100 Per 1000
Alnus serrulata (rugosa)
3 to 4 ft. trans. heavy clumps 2 50 4 to 5 ft. trans. extra heavy clumps. 3 50
Amelanchier Botryapium, June Berry
18 to 24 in. trans 1 00 9 00
2½ to 3 ft. trans 1 25
Amorpha canescens, Indigo Shrub
5 to 6 in, seed
" fruticosa
4 to 5 ft. trans 1 00 8 00
Amygdalus nana, Double White Flowering Almond
3 to 3½ ft. trans 1 50
" nana, Double Pink Flowering Almond
3 to 3½ ft. trans 1 50
Andromeda calyculata
8 to 12 in. trans 1 50
1 ft. trans. bushy 2 00 17 50
" arborea, Sorrel Tree
2 to 2½ ft. trans 3 50
Mariana
12 to 18 in. bushy 1 75
Aralia Japonica
3 to 4 ft. trans
6 to 8 ft. trans
" Mandshurica
2 to 3 ft. trans 1 75
3 to 4 ft. trans
pentaphyna
2 to 3 ft. trans
" spinosa
12 to 18 in. trans 1 25 10 00
Azalea amoena, Evergreen Azalea
6 to 8 in, from 3\\(\frac{1}{2}\)-inch pots 2 50 18 00 150 00
12 to 15 in. bushy, from 5-inch pots. 4 00 35 00
Though the Azalea Amoena is perfectly hardy, we find that
it transplants more successfully if pot-grown plants are used,
consequently we grow all of our plants in this way. When we
ship we knock them out of the nots and tie up the hall to pre-

it transplants more successfully if pot-grown plants are used, consequently we grow all of our plants in this way. When we ship we knock them out of the pots and tie up the ball to prevent its breaking.

Azalea arborescens			
12 to 15 in. trans. bushy	50		
" calendulacea			
1 ft. trans 2	50		
" Mollis, Red and Yellow, assorted			
12 to 18 in. trans. bushy clumps3	50	30	00
2 to 214 ft trans heavy clumps 12	5.0	115	0.0

Azalea Pontica (Ghent), assorted colors	10 P	er 10	0 Per 1000
12 to 18 in. bushy clumps 5 2 to 2½ ft. heavy clumps 12	00 50 1	40 00 15 00	
" Vaseyii (Rhododendron) 12 to 18 in. trans			
Baccharis halimifolia			•
2 to 2½ ft. trans. 1 4 to 5 ft. trans. heavy. 1 6 ft. specimens. 3	00 25 50	8 00 10 00	
Berberis purpurea, Purple Barberry			
18 in. trans	$75 \\ 85 \\ 25$	6 00 7 0	
" Thunbergii, Japanese Barberry			
** Thunbergii, Japanese Barberry 8 to 12 in. trans	00 25 50 75 50	8 5 10 0 12 0 15 0 20 0	$egin{pmatrix} 0 & & 90 & 00 \\ 0 & & 100 & 00 \\ 0 & & 135 & 00 \\ \end{matrix}$
We have a large and fine stock of the B	erber		
Our plants are good and bushy, not the susually offered, which, while they have the nearly so bushy as our stock.	ilim, he h	spine eight	dly plants t, are not
Berberis vulgaris, Green Barberry			
12 to 18 in. trans	75 85	6 0 7 5	0 60 00
2 to 2½ ft. trans		9 0	0 80 00
Callicarpa purpurea 12 to 18 in. trans		8 0	0
Calycanthus floridus, Sweet Shrub	00	0 0	•
12 to 18 in. trans	$\begin{smallmatrix} 85\\00\end{smallmatrix}$	$\begin{array}{cc} 7 & 0 \\ 9 & 0 \end{array}$	
Caragana arborescens, Siberian Pea 2 to 3 ft. trans	00 50	9 0 12 0	
Carpinus Americana, American Hornbeam	0.0	8 0	0
18 to 24 in. trans. 1 2 to 3 ft. trans 1 3 to 4 ft. trans 1 4 to 5 ft. trans 2	25	10 0	
	50	20 0	
" Betulus, European Hornbeam 2 to 2½ ft. trans	50	12 0	0 .
Caryopteris Mastacanthos, "Blue Spiraea" 18 in. heavy, from 7-inch pots 2	50		
Cephalanthus occidentalis, Dwarf Button-b			
18 to 24 in. trans		10 0	0
Cercis canadensis, American Judas or Red 2 to 3 ft. trans	25	10 0	
3 to 4 ft. trans	75 00	15 0 18 0	0
5 to 6 ft. trans	00 50	$\begin{array}{ccc} 25 & 0 \\ 50 & 0 \end{array}$	0
	50	100 0	0
8 to 12 in. trans	85	7 0	0
18 in. trans	00 50	$\begin{array}{ccc} 8 & 0 \\ 20 & 0 \end{array}$	
plants	50	30 0	0
Chionanthus Virginica, White Fringe 18 to 24 in. trans	0.0	8 0	0
2 to 3 ft. trans	25	10 0 15 0	0
3 to 4 ft. trans	50 50	20 0	
Clethra alnifolia, Sweet Pepper Bush			
12 to 18 in, trans	$\begin{smallmatrix}75\\00\end{smallmatrix}$	6 0 9 0	0

		Pe	r 10	Per	100	Per 1000
Colu	tea arborescens, Bladder Senna 3 to 4 ft. trans	1	25	10	00	
Corc	horus. (See Kerria, page 19.)					
Corn	us alba (Siberica), Red-twigged Dog 12 to 18 in. trans. 18 to 24 in. trans. 2½ to 3 ft. trans. 3 to 4 ft. trans. heavy. 4 to 4½ ft. trans. heavy.	1	$\begin{array}{c} 75 \\ 85 \end{array}$	7 9	00 00 00 00	55 00
"	alternifolia, Blue Dogwood 12 to 15 in. trans		75 90		00	
44	Baleyii 4 ft. trans. bushy, specimens	3	50			
44	florida, White Flowered Dogwood					
	2 to 3 ft. trans. 3 to 4 ft. trans. 4 to 5 ft. trans. 6 ft. specimens.	3	35 50 00 50	20	$\begin{array}{c} 0 0 \\ 0 0 \\ 0 0 \end{array}$	100 00
41	Mas. Cornelian Cherry 18 to 24 in. trans 2½ to 3 ft. trans 3 to 4 ft. heavy. 4 to 5 ft. heavy. 5 ft. specimens.	1 2 2	85 00 00 50 50	7 9 20	00 00 00	80 00
44	candidissima 2 to 2½ ft. bushy	1	25			
44	paniculata 18 to 24 in. trans. 2 to 3 ft. trans. 3 to 4 ft. trans.	1	85 00 25	7 9 10		80 00
**	<pre>pubescens 5 to 6 ft. specimens</pre>	3	50			
44	sanguinea, English Dogwood					
	18 in. trans	1	$\begin{array}{c} 75 \\ 00 \\ 25 \end{array}$	9	$\begin{array}{c} 0 0 \\ 0 0 \\ 0 0 \end{array}$	60 00 80 00 90 00
44	sanguinea variegata 2½ to 3 ft. trans	$\frac{1}{2}$	50 00			
"	sericea, Silky Dogwood 18 in. trans. 3 to 3½ ft. trans. 3 to 4 ft. trans.	1	85 00 25	7 9 10	0 0 0 0 0 0	
**	Spaethi aurea, Yellow-leaved 2½ to 3 ft	7	E 0	10	0.0	
"	stolonifera lutea (flaviramea), Yello			12 kad	00	
	6 to 8 in. 12 to 18 in. trans. 3 to 3½ ft. trans. 3½ to 4 ft. trans. heavy.	1	25 00 75 50	2		15 00
"	stricta 4 ft. trans. specimens 5 ft. trans. specimens	3 5	50 0 0			
Cory	lus Americana, American Hazel 2 ft. trans		25 50	9	00	
**	avellena, European Hazel 18 in. trans	-	85	7	00	
**	purpurea, Purple-leaved Filbert		00	1	00	
	2 ft 2 to 3 ft. heavy 3 to 4 ft. specimens	1 1 3	50 75 50			
Coto	neaster Simondsii 1 to 2 ft. trans	1	$\frac{90}{25}$	8 10	00	

Crataegus coccinea, White Thorn	Per 100 Per	1000
Sto 10 in. seed. 35 18 to 24 in. seed. 40 4 to 5 ft. seed. 50 2 to 3 ft. trans. 1 00 3 to 4 ft. trans. 1 25 4 to 5 ft. trans. 2 00 6 to 8 ft. trans. 3 00	2 50 2 3 50 3 8 00 7 10 00 9	15 00 20 00 30 00 70 00 90 00 50 00
" cordata, Washington Thorn 18 to 24 in. trans. 1 25 2 to 3 ft. trans. 1 50 3 to 4 ft. trans. 2 00 4 to 5 ft. trans. 3 50	10 00	
" crus galli, Cockspur Thorn 8 to 10 in. seed. 35 2 to 3 ft. seed. 50 3 to 4 ft. seed. 65 12 to 18 in. trans. 75 2 to 2½ ft. trans. 85 2½ to 3 ft. trans. 1 00 3 to 4 ft. trans. 1 50 4 to 5 ft. trans. 2 50	3 00 2 4 00 6 00 5 7 00 8 00 7 12 00 8	15 00 25 00 55 00 75 00 90 00 15 00

The crus galli and coccinea make excellent hedge plants where a protective hedge is required. The plants should be cut well down to the ground when they are set out, and if this is done they will make a good bushy hedge the first year.

Crataegus oxycantha, English Hawthorn			
1 ft. trans		6 9 15 20	00
" Mollis		_	• •
18 in. trans	85 50 75	12	00
" oxycantha, Double Pink			
3 to 4 ft. trans 3	50		
" oxycantha, Double White			
3 to 4 ft. trans 3	50 50		
" oxycantha, Paul's Scarlet	F 0		00
2 to 3 ft. trans	50 50 00	20	00
" spatulata			
1 ft. trans 1	0.0	9	00
Cytissus Laburnum, Laburnum			
2 ft. trans. 1 3 to 4 ft. trans. 1 4 to 5 ft. trans. 1 5 to 6 ft. trans. 2	00 25 50 00	8	00
Daphne cneorum			
6 to 8 in. from 4-inch pots 2			
o to o m. from 4-men pots	50		
" Mezereum album, White Daphne			
" Mezereum album, White Daphne 12 to 18 in. trans	35	15	00
 Mezereum album, White Daphne 12 to 18 in. trans	35 75	15	00
" Mezereum album, White Daphne 12 to 18 in. trans 1 18 to 24 in. trans 1 " Mezereum rubrum, Pink Daphne 18 to 24 in. trans 3	35 75	15	00
" Mezereum album, White Daphne 12 to 18 in. trans 1 18 to 24 in. trans 1 " Mezereum rubrum, Pink Daphne 1 18 to 24 in. trans 3 Desmodium Japonicum, White Flowered	35 75 50	15	00
" Mezereum album, White Daphne 12 to 18 in. trans 1 18 to 24 in. trans 1 " Mezereum rubrum, Pink Daphne 18 to 24 in. trans 18 to 24 in. trans 3 Desmodium Japonicum, White Flowered 4 year, from 4-inch pots, heavy 3	35 75 50	15	00
 Mezereum album, White Daphne 12 to 18 in. trans 18 to 24 in. trans Mezereum rubrum, Pink Daphne 18 to 24 in. trans Mezereum rubrum, Pink Daphne 18 to 24 in. trans 3 Desmodium Japonicum, White Flowered 4 year, from 4-inch pots, heavy 3 penduliflorum, pink 	35 75 50		
" Mezereum album, White Daphne 12 to 18 in. trans 1 18 to 24 in. trans 1 " Mezereum rubrum, Pink Daphne 18 to 24 in. trans 18 to 24 in. trans 3 Desmodium Japonicum, White Flowered 4 year, from 4-inch pots, heavy 3	35 75 50 00	15	00

The Desmodiums are excellent plants of an herbaceous character for setting in shrubbery beds. They bloom in August and September. Being of an herbaceous character the tops die to the ground in the fall and shoot up in the spring stronger than the year previous. They are remarkably attractive, and are one of the most valuable plants of this character.

Deu						
Deu	tuia saudidiasiusa White	Pe	r 10	Per	100	Per 1000
	tzia candidissima, White 3 to 4 ft. trans	1	0.0	8	0.0	
	4 to $4\frac{1}{2}$ ft. trans	1	25 50	10	00	
44	crenata, Single White		0.0		•	
	3 to 3½ ft. trans	1	25		00	
66	crenata flora plena, Double White					
	2 to 3 ft. trans		85	7	00	
	3 to $3\frac{1}{2}$ ft. trans	1	$\frac{00}{25}$	10	$\frac{00}{00}$	
	4 to 5 It. trans. very neavy	1	50	12	00	100 00
44	crenata rosea plena, Double Pink	4	0.0		0.0	
	3½ to 4 ft. trans	1	$\begin{smallmatrix}00\\25\end{smallmatrix}$	8 10		90 00
44	Fortuni, Double White					
	3 to 4 ft. trans	1	0.0	8	00	
66	gracilis, Dwarf White	т	40	10	00	
	12 to 15 in. trans		90	8	00	
	15 to 18 in. trans	1	00	10	$\frac{00}{00}$	
44	Lemoinei, Dwarf White	_	20	10	00	
	2 to 2½ ft. trans	1	00	9		
"		1	25	10	00	90 00
••	Lemoinei compacta, Dwarf White 2½ to 3 ft. heavy	1	25	10	0.0	90 00
T	his is one of the new varieties of De					
	wth than the gracilis, but not ne					
	nata. It has white bunches of flowe					
	at masses quite as abundant as the		acili	s. I	nde	ed, it is
	ng largely used in place of the gracil					
Deu	tzia, Pride of Rochester, Double Pin	ık	0 5	7	0.0	
	2 to 2½ ft. trans	1	50	12	0.0	
44		3	50	30	0.0	
	scabra, Single White 2 ft. trans		85	7	00	
	4 to 5 ft. trans. heavy	1			00	
44	candida, White 2½ to 3 ft. trans					
			0 =	-	0.0	
	3 to 4 ft. heavy	1	85 00		00	
Dier	3 to 4 ft. heavyrvilla Sessilifolia	1	00			
Dier	3 to 4 ft. heavy rvilla Sessilifolia 18 to 24 im. trans	1	00 50			
	3 to 4 ft. heavy rvilla Sessilifolia 18 to 24 im. trans 2 to 2½ ft. trans	1 1 2	50 00	8	00	
Dim	3 to 4 ft. heavy rvilla Sessilifolia 18 to 24 im. trans 2 to 2½ ft. trans norpanthus. (See Aralia Mandshuric	1 1 2	50 00	8	00	
Dim	3 to 4 ft. heavy rvilla Sessilifolia 18 to 24 in. trans 2 to 2½ ft. trans norpanthus. (See Aralia Mandshuric	1 1 2 a,	00 50 00 pag	8 e 13	00	
Dim	3 to 4 ft. heavy rvilla Sessilifolia 18 to 24 in. trans 2 to 2½ ft. trans norpanthus. (See Aralia Mandshuric	1 1 2 a,	50 00 pag	8 e 13	.)	
Dim	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans.	1 1 2 a,	00 50 00 pag	8 e 13	.)	
Dim Elea	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans.	1 2 a,	50 00 pag 00 25 50	8 e 13 9 10 7	00	
Dim Elea	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans.	1 2 a,	50 00 pag 00 25 50 85	8 e 13 9 10 7 9	00	
Dim Elea	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 2¼ in. trans. 2 to 2½ ft. bushy.	1 2 a, 1 1 2	50 00 pag 00 25 50 85 00 25	8 e 13 9 10 7 9 10	00	
Dim Elea	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. 3 to 4 ft. trans. heavy. 3 to 4 ft. trans. heavy.	1 2 a, 1 1 2	50 00 pag 00 25 50 85 00 25	8 e 13 9 10 7 9 10	00	
Dim Elea	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female	1 1 2 a, 1 1 2 2 1 1 1 2 2	50 00 pag 00 25 50 85 00 25 50	8 e 13 9 10 7 9 10	00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. 3 to 4 ft. trans. heavy. 3 to 4 ft. trans. heavy.	1 1 2 2 a, 1 1 1 2 2 2	50 00 pag 00 25 50 85 00 25 50 00	8 e 13. 9 10 7 9 10 12	00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. nnymus Europaeus, European Burnin 12 to 18 in. trans.	1 1 2 2 a, 1 1 2 2 2 2 9	00 50 00 pag 00 25 50 85 00 25 50 85 00 85 60 85 60 85 75	8 e 13 9 10 7 9 10 12	00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 ia. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. nymus Europaeus, European Burnin 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ to 18 in. trans.	1 12 a, 1112 2 g	00 50 00 pag 00 25 50 85 00 25 50 00 Busi	8 e 13. 9 10 7 9 10 12	00 00 00 00 00 00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshurica agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. nymus Europaeus, European Burnin 12 to 18 in. trans. 2 to 2½ ft. trans. 4 to 5 ft. trans.	1 12 a, 1112 2 g	00 50 00 pag 00 25 50 85 00 25 50 00 Busi	8 e 13. 9 10 7 9 10 12	00 00 00 00 00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 12 to 18 in. trans. 2 to 2½ ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 12 to 18 in. trans. 2 to 2½ ft. trans. 12 to 18 in. trans. 13 to 24 in. trans. 14 to 5 ft. trans. 2 to 5½ ft. trans.	1 1 2 2 a, 1 1 2 2 2 2 9 1 1	00 50 00 pag 00 25 50 85 00 25 50 00 85 00 25 50 00 25 50 00 25 50 00 25 50 00 25 50 00 00 00 00 00 00 00 00 00 00 00 00	8 e 13. 9 10 7 9 10 12	00 00 00 00 00 00 00	
Dim Elea "	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 ia. trans. 2 to 2½ ft. trans. corpanthus. (See Aralia Mandshurica agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 12 to 18 in. trans. corporate trans. 12 to 18 in. trans. 13 to 24 in. trans. 14 to 5 ft. trans. 15 to 24 in. trans. 16 to 25 ft. trans. 17 to 18 in. trans. 18 to 24 in. trans. 19 to 18 in. trans. 2 to 2½ ft. trans. 2 to 5 ft. trans. 4 to 5 ft. trans. 10 trans. 11 to 2 ft. trans. 12 to 3 ft. trans. 2 to 3 ft. trans.	1 12 a, 112 2 2 9 11 11	00 50 00 pag 025 50 85 025 50 85 025 50 85 00 50 00 85 00 00 00 00 00 00 00 00 00 00 00 00 00	8 e 13. 9 10 7 9 10 12	00 00 00 00 00 00 00 00 00 00 00 00 00	
Dim Elea " Euo	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 im. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 12 to 18 in. trans. 12 to 18 in. trans. 2 to 2½ ft. trans. beavy. umbellatus, female 6 to 8 ft. trans. 12 to 18 in. trans. 12 to 18 in. trans. 12 to 18 in. trans. 2 to 2½ ft. trans. 4 to 5 ft. trans. 4 to 5 ft. trans. 10 to 2 ft. trans. 11 to 2 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans.	1 12 a, 112 2 2 9 11 11	00 50 00 pag 00 25 50 85 00 25 50 85 00 85 00 85 00 00 85 00 00 00 00 00 00 00 00 00 00 00 00 00	8 e 13. 9 10 7 9 10 12	00 00 00 00 00 00 00 00 00 00 00 00 00	
Dim Elea " Euo	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 ia. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshurio agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 18 to 24 in. trans. 12 to 18 in. trans. conymus Europaeus, European Burnin 12 to 18 in. trans. 2 to 2½ ft. trans. 15 to 24 in. trans. 16 to 8 ft. trans. 17 to 18 in. trans. 18 to 24 in. trans. 19 to 18 in. trans. 10 to 18 in. trans. 2 to 2½ ft. trans. 2 to 2½ ft. trans. 3 to 4 ft. trans. 2 to 3 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans.	1 12 a, 112 2 2 g 11 112	00 50 00 pag 00 25 50 85 00 25 50 85 00 85 00 50 00 00 00 00 00 00 00 00 00 00 00	8 e 13 9 10 7 99 10 12 hh 6 8 8 9 12 15	00 00 00 00 00 00 00 00 00 00 00 00 00	
Dim Elea " Euo	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 ia. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshuric agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. wmbellatus, female 6 to 8 ft. trans. 18 to 24 in. trans. nymus Europaeus, European Burnin 12 to 18 in. trans. 2 to 2½ ft. trans. chordia grandiflora, Pearl Bush 1 to 2 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans. 2 to 3 ft. trans. 2 to 4 ft. trans. 2 to 4 ft. trans. 2 to 5 ft. trans. 2 to 4 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans.	1 12 a, 112 2 2 9 11 112 11	00 50 00 pag 00 25 50 00 25 50 00 85 00 25 50 00 85 00 00 00 00 00 00 00 00 00 0	8 e 13 9 10 7 99 10 12 hh 6 8 8 9 12 15	00 00 00 00 00 00 00 00 00 00 00 00 00	
Dim Elea " Euo	3 to 4 ft. heavy. rvilla Sessilifolia 18 to 24 ia. trans. 2 to 2½ ft. trans. norpanthus. (See Aralia Mandshurio agnus angustifolia, Russian Olive 2½ to 3 ft. trans. 3 to 4 ft. trans. 5 ft. trans. longipes 12 to 18 in. trans. 18 to 24 in. trans. 2 to 2½ ft. bushy. 2 to 3 ft. trans. heavy. 3 to 4 ft. trans. heavy. umbellatus, female 6 to 8 ft. trans. 18 to 24 in. trans. 12 to 18 in. trans. conymus Europaeus, European Burnin 12 to 18 in. trans. 2 to 2½ ft. trans. 15 to 24 in. trans. 16 to 8 ft. trans. 17 to 18 in. trans. 18 to 24 in. trans. 19 to 18 in. trans. 10 to 18 in. trans. 2 to 2½ ft. trans. 2 to 2½ ft. trans. 3 to 4 ft. trans. 2 to 3 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans. 3 to 4 ft. trans.	1 12 a, 112 2 2 9 11 112 11	00 50 00 pag 00 25 50 85 00 25 50 00 85 00 00 25 50 00 25 50 00 00 25 50 00 00 25 50 00 00 00 00 00 00 00 00 00 00 00 00	8 e 13 9 10 7 9 10 12 12 hh 6 8 9 12 15 10 10	00 00 00 00 00 00 00 00 00 00 00 00 00	

Fors	sythea intermedia	Pe	r 10	Per	100	Per 1000
	1 ft. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. heavy. 4 to 5 ft. trans. heavy.	. 1	75 00 50 50	9	$\begin{array}{c} 0 \ 0 \ 0 \ 0 \end{array}$	80 00
"	suspensa 2 to 3 ft. trans			10	00	
"	viridissima 1 ft. trans	1 1	75 85 25 50	$\frac{7}{10}$	00 00 00 00	65 00
"	viridissima variegata 1 ft. trans 2 to 3 ft. trans 3 ft. heavy	1 1 1	$\begin{array}{c} 0 0 \\ 2 5 \\ 5 0 \end{array}$			
Hale	esia diptera, Silver Bell 2 ft. trans	1 1	$\frac{25}{50}$	10 12	00	
"	tetraptera, Silver Bell 2 ft. trans			10	00	
Ham	### Ammelis Virginica, Wych-hazel 8 to 12 in. seed			7	50 00 00	20 00
Hibi	scus alba plena, Double White (Alt 2 to 2½ ft. trans	hae	ea)	9	00	
66	bicolor, Double Pink 3 to 4 ft. trans			10	00	
44	Boule de Feu, Double Red 2 to 2½ ft. trans				00	
"	camaeliflora, Pink 3 to 4 ft. trans				00	
"	coerulea, Double Blue 2 to 2½ ft. trans					
46	Double Lilac 2 to 3 ft. trans			J	00	
"	Double Red 2 to 2½ ft. trans	1	00	9	00	
"	Double White 4 to 5 ft. trans	1	50	12	00	
"	Lady Stanley, Double 3 to 4 ft. trans	1	25	10	00	
"	paeoniflora, Double Red 2 to 3 ft. trans	1	00	9	00	
"	rosea plena, Double 2 to 2½ ft. trans	1	00	9	00	
"	Single Lilac 2 to 3 ft. trans	1	00			
	Single Pink 18 to 24 in. trans	1	00	9	00	
"	totus albus, Single White 2 ft. trans	1	00	9	00	
"	variegata, Variegated-leaved 15 to 18 in. trans. 18 in. trans. 18 to 24 in. trans.	1 1 1	00 25 50	$^{9}_{10}_{12}$	00 00 00	
Hipp	ophaea rhamnoides, Sea Buckthorn 18 to 24 in. trans. 2 to 3 ft. trans. 3 to 4 ft. trans.	1	85 25 35	$\begin{smallmatrix}10\\12\end{smallmatrix}$	00	

		Per	r 10	Per	100	Per 10	000
Hydi	rangea arborescens						
	2 to 2½ ft. trans	1	25				
44	Otaksa						
	18 to 24 in. from 6-inch pots	G	50				
	2 to 2½ ft. from 12-inch pots						
66	Thomas Hogg						
	18 in, from 8-inch pots	6	50				
44	paniculata (type), Single						
	12 to 18 in. trans		75	6	0.0		
	3 to 4 ft. trans			10			
	5 to 6 ft. specimens			10	00		
66	paniculata, Early Flowering (type),						
					0.0		
	18 to 24 in. trans		85		0.0		
	3½ to 4 ft. heavy			15	00		
	4 to 5 ft. specimens	0	90				
44	paniculata grandiflora						
	12 to 18 in. trans		60		00	50	00
	18 to 24 in. trans		65		00	60	00
	2 to $2\frac{1}{2}$ ft. trans		75		50	65	0.0
	2 to 3 ft. trans		85		50		00
	3 to 3½ ft. trans. heavy		50	10		100	00
	$3\frac{1}{2}$ to 4 ft. trans. heavy		75	12	00	110	00
	4 to 5 ft. trans. heavy	2	0.0	15	00		

We grow a great many thousands of this plant every year, and supply the trade largely with them. Our plants are good and strong and well rooted. We desire to call particular attention to the $3\frac{1}{2}$ to 4 ft. and the 4 to 5 ft. stock. They are very heavy and bushy. Other stock may be offered cheaper, but a comparison of the plants will show that our plants are twice as bulky as the cheaper stock of the same height.

3 to 4 ft. trans
12 to 18 in. trans.
18 to 24 in. trans. 1 00 9 00 Hypericum densiflorum 2½ ft. trans. heavy. 1 50 12 00 " Moserianum 1 ft. trans. 1 25 2 50 20 00 " patulum 1 ft. trans. 1 25 10 00 12 to 18 in. trans. 1 50 10 00
Hypericum densiflorum 2½ ft. trans. heavy. 1 50 12 00 " Moserianum 1 25 10 to 12 in. from 4-inch pots. 2 50 20 00 " patulum 1 ft. trans. 1 25 10 00 1 ft. trans. 1 25 10 00 12 to 18 in. trans. 1 50
2½ ft. trans. heavy. 1 50 12 00 " Moserianum 1 ft. trans. 1 25 10 to 12 in. from 4-inch pots. 2 50 20 00 " patulum 1 ft. trans. 1 25 10 00 12 to 18 in. trans. 1 50
" Moserianum 1 ft. trans
1 ft. trans
10 to 12 in. from 4-inch pots 2 50 20 00 " patulum 1 ft. trans
" patulum 1 ft. trans
1 ft. trans
12 to 18 in. trans 1 50
llex decidua, Deciduous Holly
18 to 24 in. trans 2 50
" monticola
- 18 to 24 in. trans 2 00
2 to $2\frac{1}{2}$ ft. trans
" verticillata
18 to 24 in. trans 1 00 8 50 75 00
Kerria Japonica, Double
18 to 24 in. trans 1 25
" Japonica variegata
18 to 24 in. trans 1 25 10 00
Laurus Benzoin. (See Lindera, page 20.)
Ligustrum amurense, Amoor River Privet
18 to 24 in. trans 75
2 to $2\frac{1}{2}$ ft. trans

LIGUSTRUM IBOTA

The severe winters of the past two years have injured the Ligustrum ovalifolium or California Privet to such an extent that planters have ceased to use it as largely as in the past, a more hardy variety being required. The Ibota Privet has all the merits and good qualities of the California Privet, and in addition it is very hardy, and for this reason it is largely superseding the California. We have probably the largest

stock of 2 to 3 ft. and 3 to 4 ft. sizes in the country. They are all good bushy plants, transplanted, and with good roots. We recommend this Privet as being the best of all the varieties

for hedging purposes.

BEWARE of the so-called Ligustrum Ibota imported from Europe. It is not the true variety and is not hardy. We have imported the so-called Ibota Privet from many European sources and in every case we have received the sinensis, which is not hardy very far north of Philadelphia and not at all in the Northwest.

an in the Northwest.	D.	n 10	Don	100	Don 1000
Ligustrum Ibota (true)	re	1 10	rer	100	Per 1000
15 to 18 in trans	. 1 . 1 . 3	75 25 50 50	$\begin{array}{c} 6\\11\\13\end{array}$	$\begin{array}{c} 0 \ 0 \ 0 \ 0 \ 0 \end{array}$	$^{100\ 00}_{120\ 00}$
" ovalifolium, California Privet			_		0.00
18 to 24 in. 2 year. 2 ft. 1 year, trans. 3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans.	. 1	25 50 00 25 75	1 2 3 4 7	00 50 50 00	8 00 20 00 30 00 35 00
" myrtifolium 3 to 4 ft. trans	1	5.0			
" Regelianum		00			
2 to 3 ft. trans	. 1 . 2 . 3	$\begin{array}{c} 75 \\ 50 \\ 00 \end{array}$	$^{15}_{20}_{25}$	$\begin{smallmatrix}0&0\\0&0\\0&0\end{smallmatrix}$	
vulgaris, Common Privet		35	2	0.0	10 00
12 to 18 in. trans. 2 to 2½ ft. trans. 2 to 3 ft. trans. " sinensis, Chinese Privet	•	50 65	3	00	15 00
4 ft. heavy	. 1	50			
Lindera Benzoin, Spice Bush		0 =	-		
18 to 24 in. trans	. 1	85 25 50 50	$\begin{array}{c} 7 \\ 10 \\ 12 \\ 30 \end{array}$	50 00 00 00	90 00
Lonicera Alberti					
15 to 18 in. trans	. 1	$\frac{25}{50}$			
" bella albida 2 to 2½ ft. trans	. 1	50			
" bella candida 4 ft. trans			10	0.0	
" fragrantissima	. 1	20	10	00	
2 to 3 ft. trans	. 1	25	10	00	
" Ruprechtiana, Red-berried			_		
2 ft. trans	. 1	$\frac{00}{25}$	9 10	00	
" Morrowii					
3 ft. trans	. 1	50			
" Tatarica, Red 2 to 2 ½ ft. trans. 3 to 3 ½ ft. trans. 3 to 4 ft. trans. 4 to 4 ½ ft. trans. heavy.	. 1	$\begin{array}{c} 00 \\ 25 \\ 35 \end{array}$	8 9 10	$\begin{array}{c} 0 0 \\ 0 0 \\ 0 0 \end{array}$	
	. 1	50	12	00	
" Tatarica alba 18 to 24 in. trans	. 1	85 00	7 9	00	65 00
" Tatarica grandiflora rosea, Pink	_	-	_	-	
18 to 24 in. trans	. 1	85 50	$\frac{7}{12}$	$\begin{smallmatrix}0&0\\0&0\end{smallmatrix}$	
Philadelphus aureus (Syringa), Golde 2 ft. heavy			d 10	00	
" coronarius, Sweet Flowered Mo	ck	Ora	ange		
2 to 2½ ft. trans	. 1	$\begin{array}{c} 85 \\ 00 \\ 25 \end{array}$	7 9 10	$\begin{array}{c} 00 \\ 00 \\ 00 \end{array}$	65 00 80 00

Pe	r 10 F	er	100	Per 10	000
Philadelphus flora alba plena, Double Flow 2½ ft. heavy, trans		9	00		
" grandiflorus, Large Flowered Mock C	range	Э			
18 to 24 in. trans	25				
3 to 4 ft. trans	50 50				
" Lemoinei, Dwarf Mock Orange					
1 ft. trans 1 " Lemoinei erecta	00	9	00		
2 to 3 ft. heavy	25	10	00		
3 to 4 ft. trans	50				
2 to 3 ft. heavy	00	9	00	85	00
2½ to 3 ft. trans. specimens 3 " Zeyherii	50			•	
3½ to 4 ft. heavy	25	10	00		
Photinia villosa	0.5				
8 to 10 in. seed	$\frac{25}{35}$	1	$\frac{75}{00}$		
Potentilla fruticosa, Shrubby Cinquefoil	0 =				
12 to 18 in. trans	$\frac{85}{25}$	10	0.0		
Prinos verticillata. (See Ilex verticillata,	page :)		
Prunus Japonica. (See Amygdalus nana, p	age 1	3.)			
" Maritima, Beach Plum	50	3	0.0	25	0.0
6 to 10 in	75		00	40	00
" Pissardi, Purple-leaved Plum 2 to 4 ft. trans	25	10	00		
" pumila, Sand Cherry	20	10	00		
8 to 12 in	50	3	00		
" triloba, Double Flowering Plum 2 to 3 ft. trans	50				
Ptelea trifoliata, Hop Tree					
3 to 4 ft. trans	$\frac{85}{25}$	$\frac{7}{10}$	00	60 80	00
3 to 4 ft. trans	50 50	$\tilde{1}\tilde{2}$		100	00
" trifoliata aurea, Golden-leaved Hop	90				
2 to 3 ft trans	25				
3 to 4 ft. trans. 1 4 to 5 ft. trans. 2 6 to 7 ft. trans. 3	50				
Pyrus coronaria, Sweet-scented Crab	50				
2½ to 3 ft. trans	00	17	50		
" Bechtel's Double Flowering (Ionensis	90 : \				
2 to 3 ft. trans 2					
" floribunda	=0	9.0	0.0		
3 to 4 ft. trans	90	20	00		
3 to 4 ft. trans 2	0.0		0.0		
5 ft. trans	50	20	00		
4 to 5 ft. trans	50				
" Japonica, Japanese Quince		•	٠.		
" Japonica, Japanese Quince 12 to 18 in. trans	90		00		
2 to 2½ ft. trans	00				
Rhamnus catharticus, Common Buckthorn 18 to 24 in. seed	35		50	10	00
15 to 18 in. trans	65 85	5 7	00	40	00
3 to 4 ft. trans	00 25	-			
The Pharmus authortions makes a good of	bnona	h	4	nlant	

The Rhamnus catharticus makes a good strong hedge plant in such parts of the country in which California and Ibotal Privets are not hardy. It is very desirable in Canada and the Northwest.

Rhamnus frangula	P	er 10	Per	100	Per 1000
2 ft. trans. 2 to 2½ ft. trans. 2½ to 3 ft. trans. 3 to 4 ft. trans.	. 1	85 90 00 25	7 8 9 10	00 00 00	
Rhodora Canadensis 15 in. bushy clumps		50			
Rhodotyphus kerroides					
8 to 12 in. seed		$\frac{25}{35}$		00	8 00
2 to 3 ft. seed		40	$\frac{1}{2}$	0.0	$\frac{10}{12} \frac{00}{00}$
1 to 2 ft. trans		85 00		00	60 00 80 00
Rhus aromatica, Sweet Sumach					
18 to 24 in. trans	. 1	75		$\frac{00}{00}$	
" copallina, Shining Sumach					
" cotinus, Mist or Smoke Tree	. 1	40	10	00	
18 to 24 in. trans		85	7	00	
2 to 3 ft. trans	٠.	85	. 7		
3 to 4 ft. trans	. 1	25	10	00	
typnina, Stag's Horn Sumach		85	7	0.0	
2 to 3 ft. trans		90 50	8	00	
6 to 8 ft. trans			20	00	
" typhina laciniata, Cut-leaved Sum: 2 to 2½ ft. trans					
Ribes aureum, Yellow Flowering Curra					
2 ft. trans		75 85	6 7	00	
3 to 4 ft. trans	. 1	0.0	8	00	75 00
$3\frac{1}{2}$ to 4 ft. trans	. 1 . 3		10	00	
" floridum, Missouri Black Currant 4 ft. trans	. 1	25	10	00	
" Gordonianum, Pink Flowered Cur	rar				
18 to 24 in. trans	. 1	90 00 25	8 9 10	0.0	
" sanguineum			10	00	
18 in. trans	. 1	00			
2 to 3 ft. trans		85			
3 to 4 ft. trans. 4 to 5 ft. trans.	. 1	00 50			
" hispida rosea, Pink Flowered					
12 to 18 in. trans	. 1	85 00 00		00 50	
Rosa blanda					
2 to 3 ft. trans	. 1	$\frac{00}{25}$	$^{9}_{10}$	00	
" Carolina	. 1	20	10	0.0	
2 to 2½ ft. trans	1	$\begin{smallmatrix}0&0\\2&5\end{smallmatrix}$	$\begin{smallmatrix} 9\\10\end{smallmatrix}$	$\begin{smallmatrix}0&0\\0&0\end{smallmatrix}$	
" lucida alba, new 18 to 24 in. trans					
" multiflora Japonica 4 to 5 ft. trans	. 1	25	10	00	
" nitida 2 to 3 ft. trans				00	
" rubiginosa, Sweet Brier					
12 to 18 in. from 5-inch pots 2 to 2½ ft. trans			7	00	
2 to 3 ft. trans	. 1	25			

		Per	10	Per	100	Per 10	000
Rosa	rugosa alba, White						
	18 to 24 in. trans	1 2	25				
44	rugosa Conrad Ferdinand Meyer, N	ew	Hy	brid	R	ugosa	
	2 ft. trans	1 7	75	15	00	•	
66	rugosa, Mme. Geo. Bruant						
	2 to 3 ft. trans	1 8	50				
66	setigera, Prairie Rose						
	3 to 5 ft. trans	1 2	25	10		80	00
	5 ft. trans heavy	1 8	50	12	00		
44	Hybrid Perpetual, assorted varietie	s					
	Two year, budded, trans	1 :	50	12	0.0	100	0.0

We call particular attention to the new hybrid rugosa rose Conrad Ferdinand Meyer. We flowered it on our grounds for the first time this year and are very much pleased with it. It is a strong grower, having a great many of the characteristics of the rugosa. The flowers are double and full. The outer petals are of a very light pink, while the inner petals are of a darker pink and the flowers are very fragrant. It seems to be a free bloomer, and we believe that it will be found extremely hardy. The new shoots springing up from the roots are very strong and vigorous, and these shoots, together with the leaves on them, are of a purplish red color, making a very striking appearance. These roses should be found in all collections, and as a bedding rose, where a good hardy variety is required, we know of nothing better.

CLIMBING AND PILLAR ROSES

Rose,	Baltimore Belle, Double White				
,	2 to 3 ft. trans			10	00
66	Crimson Rambler				
	2 to 3 ft. trans. 3 to 4 ft. trans. 4 to 6 ft. extra heavy. From 6-inch pots.	1 4 3	00 50	12 35	
44	From 7-inch pots				
	Crimson Rambler, Standard or Tree 4 to 5 ft. trans. field grown				
44	Philadelphia Rambler				
	4 ft. trans. heavy	2	50		
66	Pink Rambler				
	2 to 3 ft. trans	1	25		
66	Dawson's				
	From 5-inch pots	3	50		
44	Queen of Prairie, Double Pink				
	2 to 3 ft. trans			10	00
66	Yellow Rambler				
	2 to $2\frac{1}{2}$ ft. trans From 5-inch pots, $2\frac{1}{2}$ to 3 ft	1 2	$\begin{smallmatrix}25\\50\end{smallmatrix}$	10	00

WICHURAIANA AND HYBRIDS

Rosa	Wichuraiana, Memorial Rose 2 to 3 ft. trans	1	00	8	00
66	Evergreen Gem				
	2 to 2½ ft. trans	$\frac{1}{2}$	$\begin{smallmatrix}0&0\\5&0\end{smallmatrix}$	9	00
66	Gardenia				
	3 ft. trans			10	00
44	Jersey Beauty				
	18 to 24 in. trans	1	25	10	00
66	Manda's Triumph				
	2 to 3 ft. trans	1	25		

						-
Rosa	ı, Pink Roamer	Per 10	Per	100	Per 10	00
	2 to 3 ft. trans	1 25	10	00		
	From 5-inch pots	$\frac{1}{2}$ 50				
44	South Orange Perfection					
	2 ft. trans	1 25	10	00		
66		2 50				
	Universal Favorite	- 0-				
	2 to 3 ft. trans	1 25				
	From 6-men poes	2 30				
Rubi	us Canadensis					
	2 to 2½ ft. trans	1 25				
Sam	bucus aureus, Golden Elder					
	1 to 2 ft. trans	85	7	00		
.,	2 to 3 ft. trans	1 00				
66	Canadensis, Elderberry		_			
	2 to 2½ ft. trans	85 1 00	7	00		
	5 to 6 ft. trans	1 25	0			
66	nigra laciniata, Cut-leaved Elderb	erry				
	2 to 3 ft. trans	90		00		
	3 to 4 ft. trans	1 00	9	0.0		
"	racemosa, Red-berried Elderberry	4 00	_	0.0		
	2 to 3 ft. trans	1 00	9	0.0		
	3 to 4 ft. trans	3 50				
66	Canadensis fructo alba					
	2 ft. trans	1 50				
Soph	ora Japonica					
•	5 to 6 in seed	35		25		
	1 to 2 ft. trans	1 25	10	0.0		
enin.	aea Anthony Waterer, Pink Dwarf	¥ 00				
spii (18 to 24 in. trans	90	8	0.0		
	2 ft. trans	1 00		00		
	2 ft. trans	1 50	12	0.0		
**	arguta, White	·				
	2½ to 3 ft. trans	1 50	12	00		
44	Billardi, Pink	3 30				
		85				
	2 to 2½ ft. trans	1 00	9	00	80	00
44	Bumaida					
	2 to 2½ ft. specimens	3 50				
44	callosa alba, Dwarf White					
	18 to 24 in. trans	90	8	00		
"		3 50				
	callosa rosea, Pink	05	7	0.0	60 (n n
	18 to 24 in	1 00	9	00	00 (UU
66	callosa superba, Light Pink					
	3 to 4 ft. trans	1 50				
66	carpinaefolia, White					
	4 to 5 ft. trans	90	8	00		
"	Douglassi rosea					
	3 to 4 ft. trans			0.0		
"	4 to 5 ft. trans	1 00	9	00		
	Lindleyana	1 25	1.0	0.0		
"	2 ft. trans	1 23	10	00		
••	opulifolia, White 2 to 2½ ft. trans	90	0	00		
	3 ft. trans	1 00		00		
	3 to 4 ft. trans	1 25	10	0.0		
6.6	opulifolia, Standards					
	5 ft. large, bushy tops	20 00				
66	opulifolia aurea, Golden Leaf		_			
	2 to 2½ ft. trans	1 00	9	00		
"	o to o ½ it. trans. specimens	9 90				
	opulifolia aurea, Standards 5 to 6 ft. large, heavy heads	20 00				
	5 to 5 th mange, meany meadors					

Spir	aea prunifolia			Per	100	Per 100
	2 to 3 ft. trans	. 1	25			
**	Reevesiana		0.0		0.0	
	2 to 2½ ft. trans	. 1	00		00	
	3 to 4 ft. trans. specimens	. 3	50	_		
4.6	Regeliana, Deep Pink					
	5 ft. heavy, specimens	. 3	50			
44	salicifolia, White			_		
	4 ft. trans 5 to 6 ft. trans. heavy	. 1	$\frac{00}{25}$		00	
66	sorbifolia		20	10	00	
	18 to 24 in. trans	. 1	0.0			
	2 to 3 ft. trans	. 1	25		0.0	
"	3 to 4 ft. trans	. 1	50	12	00	
••	Thunbergii, White		0 =			
	12 to 15 in. trans	1	$\frac{85}{00}$	9	0.0	80 00
	3 to 3½ ft. specimens	. 3			0 0	00 00
44	tomentosa, Pink					
	2 to 3 ft. trans		90		00	
**	3 to 4 ft. trans	. 1	00	9	00	
••	Van Houttei, White					
	18 to 24 in. trans		$\frac{75}{90}$	8	00	
	3 ft. heavy	. 1	25	10	00	
	4 ft. specimens	. 3	50	30	00	
tap	hylea trifoliata					
	18 to 24 in. seed		$\frac{35}{90}$		00	
	3 to 4 ft. trans	1		0	00	
tep	hanandra flexuosa					
	8 to 10 in. trans		85	7	00	
	2 ft. trans	. 1	00			
tua	rtia pentagyna					
	18 to 24 in. trans	3	50			
tyr	ax obasia		F 0			
	2 ft. trans	5	00	20	00	
vm	phoricarpus racemosus, White Sno					
,	2 to 2½ ft. trans		75		00	
	2 to 2½ ft. trans	-	90	8	00	
	3 to 4 ft. trans	1 3	00 50	30	00	
	3½ to 4 ft. specimens	1	25	10	00	
44	vulgaris, Indian Currant					
	18 to 24 in. trans	- 1	90		00	70 00 75 00
	2 to 3 ft. trans	1	25	9	00	10 00
vri	nga Emodi, Pale Lilac					
	18 to 24 in. trans	. 1	50			
44	Japonica, Japanese Tree Lilac					
	4 to 5 ft. trans	2	50			
44	Josikaea, Violet					
	12 to 18 in. trans	1	50	9.0	0.0	
66		. 2	50	20	00	
	Pekinensis, White 1 to 2 ft. trans	1	0.0	a	0.0	
	2 to 3 ft. trans	. 1	25	10		
	4 ft. trans	. 2	50			
**	Persica alba, White Persian Lilac					
474	2 to 3 ft. trans		50			
64	Persica laciniata, Cut-leaved Persi		0.5			
44	2½ to 3 ft. trans					
••	Rothomagensis (Chinensis), Red P	ers	ian 00	a	00	
	18 to 24 in. trans	1	25	10	00	
	3 to 4 ft. trans	1	75			

Per 10 Per 100 Per 1000 Syringa vulgaris, Common Purple Lilac	
1 to 2 ft. trans	
18 to 24 in. trans	
2 to 3 ft. trans	
3 to 4 ft. trans. heavy and bushy 1 50	
" vulgaris alba, Common White Lilac	
18 to 24 in. trans	
2 to 3 ft. trans	
3 to 4 ft. trans. heavy and bushy 1 50 12 00	
4 to $4\frac{1}{2}$ ft. trans. heavy and bushy. 2 00 15 00	
" villosa	
18 to 24 in. trans 1 50	

NEW LILACS

White, Red and Purple, Single and Double

There have been a great number of new lilacs introduced within the past five or six years. The list of varieties is a long one, but many of them are quite similar in general appearance. The following list has been selected for its distinct character, and we believe are the best of the many varieties.

Syri	nga Belle de Nancy, Double Rose 3 to 4 ft. trans	3	00	25	00		
"	Frau Dammann, Double Rosy Lilac 3 to 4 ft. trans	3	0.0	25	00		
66	Ludwig Spaeth, Purplish Red 3 to 4 ft. trans	3	00	25	00		
"	Mme. Abel Chatney, Double White 3 to 4 ft. trans	3	00	25	00		
44	Prest. Grevy, Double Blue 3 to 4 ft. trans	3	00	25	00		
	3 to 4 ft. trans	3	00	25	00		
"	Senator Volland, Double Rosy Red 3 to 4 ft. trans	3	00	25	00		
	arix Africana 2 to 2½ ft. trans. 3 to 4 ft. trans. 5 to 6 ft. trans.	1	85 00 25	9	0 0 0 0 0 0		
44	Gallica 2½ to 3 ft. trans	1	85 00	7	00		
"	Indica 1 to 2 ft. trans 2 to 3 ft. trans 3 to 4 ft. trans 4 to 5 ft. trans		75 85 00 25	9	00		
44	Japonica plumosa	1	0.0	9	00		
"	Odessana 18 to 24 in. trans	1	85 00		00		
44	tetrandra purpurea 18 to 24 in. trans	1	85 00		00		
Vibu	rnum cassinoides 18 to 24 in. trans	1	35	12	0.0		
	2 ft. trans	1	50	18			
44	dentatum, Arrow Wood			0	0.0	9.0	0.0
	18 to 24 in. trans	1	25		00	80	00

Viburnum Jano	nicum (Sieboldi)	Per 10	Per 100 Per 1000
2 to 3 ft 3 to 4 ft 4 to 5 ft	transtranstrans	2 00	$\begin{array}{ccc} 15 & 00 \\ 18 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft		3 00	

This is the Viburnum so largely planted throughout the New York parks. The leaves are large, of a dark green color and of a thick leathery character. The flowers are white in flat heads. The leaves remain very late on the plants. It is a very desirable variety for mass planting.

Vibu	rnum lantana, Hobble Bush							
	18 in. trans. 18 to 24 in. trans. 2 to 3 ft. trans. 3 to 4 ft. trans. 4 to 5 ft. trans. 5 to 6 ft. trans. specimens.	1 1 1 3	$\begin{array}{c} 85 \\ 90 \\ 00 \\ 25 \\ 50 \\ 50 \end{array}$	10	00			
44	Lentago, Sheep-berry							
	2 to 3 ft. trans			20	00			
66	molle							
	12 to 18 in. seed	1 1 5	35 90 00 25 00	8	50 00 00 00	5	20 70 80 90	00 00 00 00
66	nudum							
	2 to 2½ ft. trans	2	00					
66	opulus sterilis, Common Snowball							
	12 to 18 in. trans. 2 to 2½ ft. trans. 3 to 4 ft. trans. 4 to 5 ft. trans.	1 1 1	$\begin{array}{c} 85 \\ 00 \\ 25 \\ 50 \end{array}$	$\begin{array}{c} {\bf 7} \\ {\bf 9} \\ {\bf 10} \\ {\bf 12} \end{array}$				
66	opulus nanus, Dwarf Snowball							
	3 to 4 in. trans	1	$\frac{90}{00} \\ 25$	$\begin{smallmatrix}8\\9\\10\end{smallmatrix}$	$\begin{array}{c} 00 \\ 00 \\ 00 \end{array}$		70 80 00	$\begin{smallmatrix}0&0\\0&0\\0&0\end{smallmatrix}$

In many parts of the United States and Canada, Box Edging is not hardy, and a low, dwarf and compact plant is required as a substitute for it. The Viburnum opulus nanus has been found to be an excellent substitute for the Box Edging. It is naturally of a dwarf habit and will stand a lot of shearing, so that it can be kept down to a very small size. It does not bear any flowers and the leaves are smaller than the other varieties of Viburnum. It is perfectly hardy and can be planted in any part of the United States and Canada.

Vibu	rnum oxycoccos (opulus), High Bush	Cranberry
	12 to 18 in. trans. 2 to 2½ ft. trans. 1 2 to 3 ft. trans. 1 3 to 4 ft. trans. 1	25 10 00
"	plicatum, Japanese Snowball (true) 18 to 24 in. trans	
"	prunifolium, Black Haw 12 to 18 in. trans 1 1 to 2 ft. trans 1 2 to 2½ ft. trans 1 Sieboldi. (See Japonicum.)	25 10 00
44	tomentosum 15 to 18 in. trans 1 2 to 3 ft. trans 1 3 to 4 ft. trans 1 4 to 5 ft. trans 2 5 to 6 ft. trans. specimens 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

The Viburnum tomentosum is of a similar character and habit to the Viburnum plicatum, but instead of having balls of flowers, they are flat headed. In leaf and general growth it is about the same as the plicatum, and in fact it is frequently mistaken for that variety. It is perhaps a little stronger

grower than the plicatum, and in some respects it is to be preferred. We have a particularly large and fine stock of this plant, and call attention to some of the specimen plants which we offer.

	Pe	r 10	\mathbf{Per}	100	Per 1000
Vitex Agnus castus, Blue					
2 to 2½ ft. trans	. 1	25	10	00	
" Agnus castus, White					
2 to 3 ft. trans	. 1	50			
'Weigela amabilis, Light Pink					
3 ft. trans			10		
4 to 5 ft. trans			12		
5 to 6 ft. heavy specimens	. 3	90	30	00	
" candida, White					
3 to 4 ft. trans					
4 to 5 ft. trans. specimens	. 3	50	30	00	
" Eva Rathke, Crimson					
18 to 24 in. trans	. 1	50			
2 to 3 ft. trans	. 1	75			
" nana variegata					
12 to 18 in. trans		90	. 8	00	
2 ft. trans	. 1			00	
3 to 4 ft. specimens	. 3	50	30	00	
" Groenewegenii					
2 ft. trans	. 1	25			
Zanthorhiza apiifolia					
1 ft. clumps	. 1	25	10	0.0	
Zanthoxylon piperitum, Prickly Ash					
2 to 2½ ft. seed		50	3	0.0	
3 to 4 ft. seed		75		00	
3 to 4 ft. trans			25		
4 to 4½ ft. trans		50	30	00	

Evergreens

All our evergreens have been once or more transplanted, the larger sizes several times, and the choice varieties we move in a period not exceeding two years. These choice varieties are all dug with a ball of earth and the ball sewed in a mat. This makes transplanting almost an assured success. Our evergreens should not be confused with the low-priced plants frequently offered. We move them constantly in order to secure a good root growth, and they are less liable to loss when shipped.

Per 10 Per 100 Per 1000 (See also Picea, page 30.) Abies. Canadensis, Hemlock 1 to 2 ft. trans. 18 to 24 in. trans. 2 to 24½ ft. trans. 2 to 3 ft. trans. 3 00 25 00 50 excelsa, Norway Spruce (Ceisa, Norway Spines)
6 to 10 in. trans.
1 to 2 ft. trans.
18 to 24 in. trans.
2 to 3 ft. trans. 0.0 35 75 excelsa inverta, Weeping Spruce excelsa, Wale's Weeping Spruce nigra Doumetti

	Pe	r 10	Per 100	Per 100
Abies orientalis, Oriental Spruce 2 ft. trans. with ball	.13	50		
2½ ft. trans. with ball	.15	00		
" alba, White Spruce		0.5	10 00	
12 to 18 in. trans	. 1	35 75	12 00	
Azalea amoena, Evergreen Azalea				
6 to 8 in. trans. from 3½-inch pots 12 to 15 in. trans. bushy, from 5	2. 2	50	18 00	150 0
12 to 15 in. trans. bushy, from the inch pots	. 4	0.0	35 00	
Biota orientalis, Chinese Arbor Vitae		0.0	00 00	
12 to 15 in. seedling		35	2 50	15 0
12 to 15 in. seedling	. 3	$\frac{50}{00}$		
" nana aurea, Berckman's Golden		• •		
8 to 10 in. trans	. 3	50	30 00	
12 to 15 in. trans	. 4	0.0	3 5 00	
Buxus arborescens, Tree Box, pyramid				
3 ft. trans. with ball				
3½ ft. trans. with ball	.17	50		
Handsworth	19	50		
2½ ft. trans. with ball	.15	00		
		50		
" Japonica aurea, Golden-leaved Bo		0.0		
2 ft. trans. heavy, with ball 3 ft. trans. heavy, with ball	.10	00		
" rotundifolia, Round-leaved Box, p			form	
3½ ft. trans. with ball	.25	00		
4 ft. trans. with ball				
myrtholium, myrtie-leaved box, p			torm	
3 ft. trans. with ball $3\frac{1}{2}$ ft. trans. with ball	.17	50		
Box Edging, Buxus suffruticosa				
3 to 5 in. trans. bushy clumps		50	5 00	50 0
Box Edging, Buxus arborescens				
8 to 10 in. trans	. 2	0.0	18 00	150 0
Box, Standard or Tree Form	15	0.0		
1 ft. stem, 2 ft. diam. head	. 25	00		
1½ ft. stem, 1½ ft. diam. head 1 ft. stem, 2 ft. diam. head 1½ ft. stem, 2 ft. diam. head 2 ft. stem, 1½ ft. diam. head	. 25	00 50		
Calluna vulgaris, Heath		0 0		
4 to 6 in. bushy clumps, from 5-inc	h			
pots Allowi Div. O			25 0	0
Cupressus Lawsoniana Allumi, Blue Cy 2 to 2½ ft. trans. with ball				
2½ to 3 ft. trans. with ball	.15	00		
" Lawsoniana stricta viridis, Pyram			awson's	Cypres
3 ft. trans. with ball	.12	50		
Erica carnea, a beautiful pink Heath				
3 to 5 in. bushy, from 5-inch pots. 1 ft. broad, field grown	. 2	50	20 00	
	. 2	0.0	15 00	
" stricta 4 to 6 in. bushy clumps, from 5-in	ch			
pots	. 3	0.0	25 00	
" vagans capitata				
3 to 4 in. bushy, from 5-inch pots	. 3	0.0	25 00	
llex monticola 18 to 24 in. trans	1	75		
2 to $2\frac{1}{2}$ ft. trans	. 2	0.0		
Juniperus communis prostrata, Prostra	te J	lunii		
4 to 6 in. trans	. 1	50	12 00	
" communis Waukegan prostrata	. 10	UU		
4 to 6 in. trans	. 1	50	12 00	
" communis Waukegan, Upright Fo		-		
4 to 8 in. trans		50	12 00	

Juniperus Hibernica, Irish Juniper	Pe	r 10			Per 1000
12 to 18 in. trans.	. 1	25	8 10 30		
8 to 12 in. trans	. 5 . 7	00 50	40		
" Japonica aurea, Golden Juniper					
2 ft. trans. with ball	$\frac{.12}{.15}$	$\frac{50}{00}$			
" Sabina, Savin Juniper	. 00	00			
4 to 6 in trans	. 1	$\begin{smallmatrix}25\\75\end{smallmatrix}$		00	90 0
3 ft. trans. with ball.	. 15	0.0			
3 ½ ft. trans. with ball	. 17	50 00 00			
" suecica compacta 4 to 6 in. trans	. 1	00 50 50	8	00	
" Virginiana glauca, Blue Red Ceda	ır				
4½ ft. trans. with ball	.15 .17 .20 .25	00 50 00 00			
Kalmia angustifolia, Narrow-leaved Mt.	La	ure	ı		
$1\frac{1}{2}$ ft. trans. bushy clumps, with ball 2 ft. trans. bushy clumps, with ball $2\frac{1}{2}$ ft. trans, with ball	1 6 . 7 .10	$\begin{array}{c} 00 \\ 50 \\ 00 \end{array}$			
Leucothoe Catesbaei 1 ft. trans	. 3	50			
Mahonia aquifolia 12 to 18 in. trans	. 1	00	8	00	
" Japonica 6 to 12 in. trans					
Myrica cerifera, Wax Myrtle 10 to 15 in. trans	1	50			
Picea balsamea, Balsam Fir					
18 to 24 in. trans	. 1 . 2 . 3	75 50 50		00	
" concolor, Colorado Silver Fir					
3 ft. trans. with ball	.25 .30 .35	00			
" Englemanni, Englemann's Blue \$ 2 ft. trans. with ball					
$2\frac{1}{2}$ ft. trans. with ball	.25	00			
Norumanniana, Norumannis Silve	г г . 6	00	50	00	
18 to 24 in. trans. with ball 3 ft. trans. with ball 3 ½ ft. trans. with ball	$^{.15}_{.20}$	00			
" pectinata, European Silver Fir 12 to 18 in. trans	. 1	75			
" pungens, Koster's Blue Spruce 1½ ft. trans. with ball	20	0.0			
2 ft. trans. with ball 2½ ft. trans. with ball 3 ft. trans. with ball 3½ ft. trans. with ball	.30 .37 .50	0.0			
Pinus Austriaca, Austrian Pine		• •			
18 to 24 in. trans	. 1	75 50			
	. 5	00			
18 in. trans, with ball. 2 ft. trans. with ball. 2 ½ ft. trans. with ball. 3 ½ ft. trans. with ball. 4 ft. trans. with ball.	. 7 . 8 . 10	50 50 00 50	100	0.0	
4 1/2 ft. trans. with ball	. 10	00 50	200		

D:		\mathbf{Per}	10	Per 1	00	Per 1000
Pinu	s excelsa, Himalayan Pine	3 !	Ε0			
66	1 to 2 ft. trans	5	50 00			
	6 ft. trans. with ball	17 :	00 50			
44	Mugho, Dwarf Mountain Pine 8 to 12 in					
44	strobus, White or Weymouth Pine	_	•			
	12 to 18 in. trans	1	50	12		100 00
	2 to 3 ft. trans	3	$\frac{00}{50}$		00	
	4 to 5 ft. trans	5	00	40		
44	strobus nana, Dwarf White Pine	10				
44	1 ft. broad, with ball	12	50			
	sylvestris, Scotch Pine 2 to 3 ft. trans	2	50	20	00	
	3 to 4 ft. trans	3	50	30	00	
	is is a new form of very dwarf and					
	s character to the Scotch Pine as	usu	any	gic	, vv (•
netii	nispora filifera 1 ft. trans. bushy	2	50	20	0.0	
	6½ to 7½ ft. trans. specimens	$5\overline{0}$	00			
44	filifera aurea, Golden	_				
46	6 to 10 in. broad, with ball obtusa	4	50			
	4½ ft. trans. with ball	20	00			
	5 ft. trans. with ball	22	$\frac{50}{00}$			
	6 ft. trans. with ball	$\frac{25}{27}$	50			
44	obtusa compacta					
	1 ft. trans	3 5	00 50 00	$\frac{25}{30}$		
46	pisifera					
	4½ ft. trans. with ball. 5 ft. trans. with ball. 5½ ft. trans. with ball. 6 ft. trans. with ball.	$\frac{20}{22}$	50 00 50 00			
	6½ ft. trans. with ball	30	$\frac{50}{00}$			
44	$7\frac{1}{2}$ ft. trans. specimens, with ball. 8 ft. trans. specimens, with ball. $8\frac{1}{2}$ ft. trans. specimens, with ball.	40 50	00			
	of the strain of	13	50			
	3½ It. trans. with ball	. T5	0.0			
	4 ft. trans. with ball	, 20	50 00			
	5 ft. trans. with ball	25	00			
	8 to 12 in. trans	. 1	50	10	00	
	12 to 15 in. trans	. 1	$\frac{75}{50}$	15		
	18 to 24 in. trans	. 4	0.0	30	UU	
	2 to 3 ft. trans	13	$\frac{00}{50}$			
	3½ It. trans. with ball	. 15	00			
	4 ft. trans. with ball4½ ft. trans. with ball	$\frac{17}{20}$	50 00			
44	plumosa argentea, Silver Tip					
	4 to 6 in. trans	. 1	50	12	00	
44	plumosa aurea, Golden	1	ΕO	10	00	
	6 to 8 in. trans 8 to 12 in. sheared and compact	. 3	50 00	25	00	
	12 to 15 in. sheared and compact. 18 to 24 in. trans. sheared and com	. 3	50	30	00	
	pact	. 4	00	35	00	
	3 ft. trans. with ball	.15	$\frac{50}{00}$			
	4 ft. trans. with ball	.17	50 00			
	4½ ft. trans. with ball 5 ft. trans. specimens, with ball	.25	0.0			
	5½ ft. trans. specimens, with ball 6 ft. trans. specimens, with ball	.30	$00 \\ 00$			

Retir	Per 10 Per 100 Per nispora plumosa sulfurea, Extra Golden Color 3 ½ ft. trans. with ball20 00	1000
- 1.	4 ft. trans. with ball	
	is is a form of Retinispora plumosa aurea especi ted and propagated on account of its extra golden co	
Retir	nispora squarrosa Veitchii	
	6 to 8 in. trans	
	8 to 10 in. trans	
	2 to 2½ ft. sheared and compact 5 00	
	3 to 3½ ft. trans. with ball15 00 4 ft. trans. with ball17 50	-
	4½ ft. trans. specimens, with ball.20 00	-
Rhod	lodendron puncatum 1 ft. trans	
Taxu	s baccata aurea, Golden English Yew	
	3 ft. trans. with ball	
44	baccata pendula, Weeping English Yew	
44	3 ft. trans. with ball	
	3 ft. trans. with ball	
44	3½ ft. trans. with ball20 00	
	Hibernica, Irish Yew	
	2 ft. trans. with ball	
6.6	Hibernica aurea, Golden Irish Yew	
	1½ ft. trans	
	2 ½ ft. trans. with ball	
66	Hibernica aurea variegata	
	2 ft. trans. with ball	
Thuj	a Hovevii, Hovev's Golden Arbor Vitae	
	4 to 6 in. trans	0 00
	12 to 18 in. trans. bushy 3 00	
	4 to 6 in. trans	
44	2 ft. trans. heavy 7 50	
••	occidentalis, American Arbor Vitae 15 to 18 in. trans	0 00
	18 to 24 in. trans	0 00
44	2½ to 3 ft. trans	5 00
	4 to 6 in. trans	
4.6	occidentalis George Peabody, Golden Arbor Vitae	
	12 to 18 in. trans. 3 50 18 to 24 in. trans. 5 00 3 ft. trans. with ball. 13 50	
	3 ft. trans. with ball	
	3½ It. trans. With ball	
	4½ ft. trans. with ball	
	17 tt. trans. with ball 20 00 5 ft. trans. with ball 22 50 5½ ft. trans. with ball 25 00 6 5 ft. trans. with ball 25 00 6 6 ft. trans. with ball 25 00 6 6 ft. trans.	
"	o it. specimens, with ball	
	occidentalis pyramidalis, Pyramidal Arbor Vitae 4 to 6 in, trans	0 00
	3 to 4 ft. trans. with ball	
	4 to $4\frac{1}{2}$ ft. trans. with ball. 8 50 75 00 $4\frac{1}{2}$ to 5 ft. trans. with ball. 10 00 $5\frac{1}{2}$ to 6 ft. trans. with ball. 13 50	
66		
••	occidentalis spiralis	
	4 to 6 in. trans	
64	occidentalis globosa, American Globe Arbor Vitae	
	8 to 12 in. trans. heavy	
	1 ft. broad heavy	
	15 m. proad and heavy 5 50 50 00	

Vines and Climbers

We direct particular attention to our "Pot Grown Vines." They are well-established plants, strong, vigorous and well grown. They are shipped without breaking the ball. The best results are obtained from using potted plants. Potted plants are especially recommended for planting in the fall rather than field grown stock.

Per 10 Per 100 Per 1000

Actinidia arguta	16	1 10	1 61	100	1611	000
18 to 24 in. trans	. 1	$\begin{array}{c} 00 \\ 25 \\ 50 \end{array}$	25	00		
Akebia quinata						
2 ft. trans	. 1	00 25 50	25	00		
Ampelopsis Englemanni, Englemann's \	/irg	inia	Cre	epe	r	
18 to 24 in. trans. 2 year		85		00		
2 to 3 ft. trans. 3 year, heavy		00 50	25 25			
2 to 2½ ft. trans. from 5-inch pots	. 4	90	40	00		
ventonii, Japan or Boston ivy	4	0.0	0	0.0		
2 to 3 ft. 3 year			-	00		
virginica (quinquerona), virginia				0.0		
6 to 8 in. 1 year seed		25 75		00		
2 to 3 ft. trans		85		00	60	00
5 inch pots	. 2	50	25	00		
Autotaliantia Otalia Dataharania Dina						
Aristolochia Sipho, Dutchman's Pipe						
5 inch pots	. 3	50				
5 inch pots	reen	Tr			Vine	
5 inch pots	reen	Tr	ump 25		Vine	
5 inch pots	een . 2	50	25	00	Vine	
5 inch pots	een . 2	50 25	25	00 25	Vine	
5 inch pots	. 2	50 25 75	25 1 6	00 25 00		0.0
5 inch pots	. 2	50 25 75 85	25 1 6	00 25 00 00		00
5 inch pots	. 2	50 25 75 85	25 1 6 7	00 25 00 00 00		00
5 inch pots	. 2	50 25 75 85 50	25 1 6 7 25	00 25 00 00 00		00
5 inch pots Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans. 5-inch pots 6 inch pots "radicans grandiflora 2 ft. trans.	. 2 	25 75 85 50 50	25 1 6 7 25	25 00 00 00		00
5 inch pots Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans. 5-inch pots 6 inch pots "radicans grandiflora	. 2 	25 75 85 50	25 6 7 25 35	25 00 00 00		00
5 inch pots Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans. 5 inch pots "radicans grandiflora 2 ft. trans 5 inch pots 5 Celastris articulatus, Japanese Staff Vincential Company of the compa	. 2 	25 75 85 50 50	25 1 6 7 25 35	25 00 00 00 00		00
5 inch pots. Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans. 5-inch pots 6 inch pots "radicans grandiflora 2 ft. trans 5 inch pots 5 inch pots Celastris articulatus, Japanese Staff Vin 10 to 12 in. trans	. 2 	25 75 85 50 50 50	25 1 6 7 25 35 12	25 00 00 00 00 00		00
5 inch pots Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans 6 inch pots "radicans grandiflora 2 ft. trans 5 inch pots Celastris articulatus, Japanese Staff Vin 10 to 12 in. trans 2 to 2½ ft. trans	. 2 	25 75 85 50 50 50 50	25 1 6 7 25 35 12 2 7	00 25 00 00 00 00 00		00
5 inch pots. Bignonia capreolata (Tecoma), Everging 18 to 24 in. from 5-inch pots "radicans, Trumpet Creeper 1 year, 12 to 18 in 2 to 3 ft. trans 3 to 4 ft. heavy 2 to 3 ft. trans. 5-inch pots 6 inch pots "radicans grandiflora 2 ft. trans 5 inch pots 5 inch pots Celastris articulatus, Japanese Staff Vin 10 to 12 in. trans	. 2 	25 75 85 50 50 50	25 1 6 7 25 35 12	00 25 00 00 00 00 00		00

Calactric ecandane Staff Vina	Pe	r 10	Per	100	Per 1000
Celastris scandens, Staff Vine 6 to 10 in. 1 year		25		00	
2 to 3 ft. trans. 3 to 4 ft. trans. heavy.		$\frac{50}{75}$	4	00	
3 to 4 ft. trans. heavy	. 1	$\frac{00}{50}$	8	00	
Clematis crispa					
5 inch pots		50			
5 inch pots	. 4	อบ			
5 inch pots	. 2	50			
18 to 24 in. trans Decumaria barbara	. 1	0.0	8	00	
4 to 6 in. from 3-inch pots 18 to 24 in. from 5-inch pots	. 1	50 50	15	00	
Dioscorea batatas, Chinese Yam 3 ft. from 5-inch pots	. 2	50	25	0.0	
Euonymus radicans, Green-leaved		00			
6 to 12 in. trans. 1 ft. trans. 12 to 18 in. trans. heavy	. 1	85 00	7 8	00	60 00 70 00
12 to 18 in. trans. heavy " radicans variegata	. 1	25	10	00	90 00
6 to 8 in. trans	. 1	85 25	$\frac{7}{10}$	00	60 00 90 00
1 to 2 ft. trans, heavy, from 4-incl	h 2			0.0	
Gelsemium sempervirens, Carolina Jes	san	nine			
2 to 3 ft. 5-inch pots				0.0	
6 to 8 in. from 3-inch pots 3 to 4 ft. from 5-inch pots	. 1	$\begin{smallmatrix}25\\50\end{smallmatrix}$		$\begin{smallmatrix}0&0\\0&0\end{smallmatrix}$	$\begin{smallmatrix} 90 & 0 \\ 200 & 0 \end{smallmatrix}$
Humulus lupulus, Hop Vine 2 to 3 ft. from 5-inch pots	. 2	50			
Jasminum nudiflorum, Yellow Jessamine 18 to 24 in. from 5-inch pots	е		25	0.0	
" officinale, White Jessamine					
18 to 24 in. 5-inch pots Lonicera Belgica, Belgian Honeysuckle	. 2	50	25	00	
3 ft. trans. heavy	-	00	8	00	
" brachypoda, Evergreen Honeysuch 12 to 18 in. trans		00	8	00	
" brachypoda aurea, Golden Honeys	suc	kle			
18 to 24 in. trans	. 1	25	10		
2 to 3 ft. trans. from 5-inch pots,.	. 2	50		00	
" flava, Yellow Coral Honeysuckle 2 to 3 ft. extra heavy	. 1	00	8	00	
" Halleana, Hall's Honeysuckle		85	7	00	
12 to 18 in. trans	. 1	0.0	8	00	
" Japonica, Japanese Honeysuckle 3 ft. heavy		00			
" sempervirens					
2 to 3 ft. from 5-inch pots " sinensis, Chinese Honeysuckle	. 2	50	25	00	
18 to 24 in. trans	. 1	85 00	8	00	
3 ft. from 5-inch pots Lycium barbarum, Matrimony Vine	. 2	50	25	00	
18 to 24 in. trans 2 to 3 ft. trans		75 85	7	$\begin{array}{c} 0 0 \\ 0 0 \\ 0 0 \end{array}$	50 0
3 to 4 ft. extra heavy Menispermum Canadense, Moon Seed	. 1	00	8	00	
1 ft. trans		75		00 23	
Tecoma radicans. (See Bignonia radic					

Vitio		Per 10	Per	100	Per 1000
VILIS	aestivalis, Wild Grape	25	1	50	10 00
66	cordifolia				
	8 to 10 in 12 to 18 in. trans 18 to 24 in. trans 2 ft. trans	25 35 50 75	2	50 00 00 00	10 00
64	heterophylla variegata				
	8 to 10 in	$\frac{25}{50}$	$\frac{1}{3}$	$\frac{50}{00}$	
	2 to 3 ft. from 5-inch pots		25	00	
66	labrusca				
	8 to 10 in	25	1	50	
"	riparia 8 to 10 in	35 85	2 7	50 00	
Wist	aria frutescens, American Glycine				
	3 to 31/2 ft. trans. from 6-inch pots.	2 50			
44	magnifica 2 to 3 ft. trans	85 1 00	8	00	70 00
66	multijuga 2 to 3 ft. from 6-inch pots	3 50			
66:	sinensis, Chinese Blue Wistaria				
	2 to 3 ft. 3 year	1 00		00	
"	sinensis alba, Chinese White Wist	aria			
	2 to 3 ft. heavy		25	00	

Hardy Herbaceous Perennials, Hardy Grasses and Ferns

Per 10	Per 100
Achillea Ptarmica plena, "The Pearl," white,	
double, July	6 00
taygetea, canary yenow, summer 80	6 00
" tomentosa, golden yellow, July 60	5 00
Aconitum napellus, "Monkshood," blue, Aug.	
and Sept 1 00	8 00
Adonis vernalis, yellow, April, 4-in. pot 1 25	10 00
Ægopodium Podagraria variegata, variegated	
foliage 80	6 00
Agrostemma coronaria, crimson, June 80	6 00
Ajuga Genevensis, blue, May 80	5 00
" reptans, blue, May 80	5 00
Alyssum argenteum, yellow, May	6 00
saxatile compactum, golden yellow, may 15	6 00
Amsonia salicifolia, blue, June	6 00
Anchusa Italica, dark blue, June to Sept 1 00	8 00
Anemone Japonica, "Queen Charlotte," La	
France Pink, 3-in. pot 80	6 00
" pulsatilla, violet, April 1 00	8 00
Anthemis tinctoria, yellow, July	6 00
" tinctoria pallida, white, July 80	7 00
Apios tuberosa, maroon, July and August 80	6 00
Aquilegia alpina, blue and purple, June 80	6 00
" caerulea, blue and white, June 1 00	10 00
" Canadensis, scarlet, May and June 80	6 00
" Chrysantha, yellow, June	6 00
om jountain, jounday, sunday, and or or or or	0 00

Per 10	Per 100
Aquilegia flabellata nana alba, large white, June 80	6 00
" vulgaris, blue and purple, June	$^{6}_{6}$ 00
" maritima alba, white	6 00
" plataginea	6 00
" splendens, pink, May 1 00	8 00
Artemisia Abrotanum, "Old Man," 2½-in. pot 80	6 00
" Dracunculus	6 00
" pontica, "Old Woman," silver foliage 80	6 00
" Stellariana, white and woolly leaves 80	6 00
Asclepias tuberosa, orange, July	8 00
Aster alpina, bright purple, June and July 80	6 00
" amethystinus, large pale blue, Sept 80	6 00
" amellus elegans, light blue, Sept. and Oct. 80	6 00
" Formossissima 80	6 00
" incisia, light blue, July and August 80	6 00
" pyramidalis hybridus	8 00
ryichalcus, white, July and August 1 00	8 00
rataricus, fight purple, fate fati	6 00
turbinans, mauve, beptember 1 00	8 00
Baptisia australis, blue, June and July 1 00	8 00
Belamcanda Chinensis, red orange, Aug. to Sept 80	6 00
Bellis perennis, "English Daisy," various colors 80 Betonica officinalis, pinkish purple, July 80	$\begin{array}{ccc} 6 & 00 \\ 6 & 00 \end{array}$
Betonica officinalis, pinkish purple, July 80 rosea, dwarf, pleasing pink, July 1 00	6 00 8 00
Bocconia cordata, buff, June to August	6 00
Beltonia glastifolia, white, Aug. and Sept 60	5 00
" latisquama, pale pink, Aug. and Sept 60	5 00
Brunella vulgaris grandiflora, blue, June, Aug. 80	6 00
Callirhoe involucrata, rich red	8 00
Campanula carpatica, blue, July and Sept, 3-in.	0 00
pot	6 00
" carpatica alba, white, July and Sept 80	6 00
" glomerata, blue, June	6 00
" grandis, blue, July 1 00	
" latifolia macrantha, blue, June 1 00	8 00
" Media alba, white, May and June, 4 and 5	
in. pots 1 00	8 00
" Media caesia 1 00	8 00
" Media calycanthema, blue, May and June,	
5-in. pot	8 00
persiculation, blue, butte and bury 1 00	8 00
persiculation and, white, sume and sury I ou	8 00
persicitoria Moorneimi	
" pyramidalis, summer	
" rotundifolia, light blue, June	8 00
Cassia Marylandica, yellow, July and August 80	6 00
Centaurea dealbata, yellow, Aug. and Sept 1 00	8 00
" macrocephala, yellow, July 100	8 00
" Montana, blue, June and July 1 00	8 00
" Montana alba 1 00	0 00
" nigra variegata, golden yellow, variegated	
foliage 1 00	8 00
" ruthenica 1 00	
Cerastium tomentosum, Mouse Ear, white, April and May	6 00
Chelone glabra, white or rose tinged, August	0 00
and September 1 00	
" Lyoni, rosy purple, August and Sept 1 00	
Chericanthus Cheri	0 00
Chrysanthemum Pompom, assorted varieties. 1 00	8 00
Over seventy varieties. Send for descriptive list. O	
lection took prizes at both the Philadelphia and New Flower Shows.	YORK

	Da	m 10	Dow.	100
Chrysanthemum, Shasta Daisy, red		r 10	Per:	00
Clematis Davidiana, blue, Aug. and Sept		00		00
" recta, white, June and August	1	00		
Convallaria majalis (Lily of the Valley), white,			_	
spring, clumps	1	00	8	00
Coreopsis lanceolata grandiflora, golden yellow,		00		0.0
" rosea, rose, September and October		80		00
Coronilla varia, pink, June and August		75 80		00
Delphinium Chinense, Chinese Larkspur, blue		00	0	00
and white, June to August		80	6	00
" Chinense album, white, June to August		80		00
" Kelway's Hybrids, various shades of blue,				
June to September		80	6	00
Dianthus barbatus, "Sweet William," in many			_	
colors, May and June		60	5	00
piuliarius cyclops III. pi	1			00
riei majesty, double white, may, bute	1	00		00
" "Lord Lyon," deep pink, May and June " Mrs. Simkins	1	00		00
" variabilis, white, maroon marked, May and	-	00	0	00
June	1	00	8	00
Dictamnus fraxinella, red, June	1	25		
" fraxinella alba, white, June	1	25		
Digitalis grandiflorus, yellow, June to July	1	00	8	00
" canata	1	00		00
" purpurea, purple, May and June	1	00		00
purpurea arba, white, may and June	1	00	8	00
Doronicum plantagineum excelsum, yellow, April and June	1	00	0	00
Echinacea purpurea, pink, July	1	00		00
Echinops bannaticus, steel blue, July and Aug	1	00		00
" ritro	1	00	0	00
Epimedium alpinus		00		
Eupatorium ageratoides, white, September		80	6	00
" coelestinum, "Hardy Ageratum," blue,				
September and October		80		00
Funkia lancefolia, blue, July		00	8	00
Ovata, mac, July		00	0	00
" undulata variegata, white foliage Gaillardia grandiflora compacta, yellow and	1	00	8	00
crimson, July to September		80	6	00
Geranium Ibericum album	1	00		• •
" pratense, purple, May	1	00		
" Richardsoni, white, May	1	00		
" sanguineum, red, June to September	1	00		
Geum Aldrichi, orange, June and July		00	_	
" coccineum, scarlet, June and July " triflorum, pink, June		00	8	00
tringian, pinn, band in		00		
Gillenia trifoliata, blush pink, June and July Gnaphalium Leontopodium, "Edelweiss," sil-	1	00		
very foliage and flowers, May		80	6	00
Gypsophila paniculata, "Baby's Breath," white,		•	•	00
July and August		80	6	00
" repens monstrosa, white, July and Aug	1	00	8	00
Heleborus niger, Christmas Rose, white, March		0.0		0.0
and April	1	00	8	00
Helenium autumnale superbum, "Sneezewort," clear yellow, August	1	00	Q	00
" grandicephalium striatum, yellow striped		00	0	00
with brown, August	1	00	8	00
" Hoopesii, orange yellow, May and June			8	00
Helianthus decapetalus multiflorus plenus,		0.0	_	00
double yellow, August and Sept		80	6	00

	,210, 2110.			
		Per 10	Per	100
Helianthus decapetalus multiflorus So				
double yellow, August and Se		80		00
dolollicoldes, yellow, buly and Ad		60		00
giganteus, yenow, August and Se		60		00
factifiorus, yellow, August and Se		60	5	00
" Maxima		1 00		
" Maximilliana, yellow, Sept. and O	ct	80	6	00
" scaber		1 00		
Heliopsis laevis, orange, June to Augu		80	6	00
" Pitcheriana, orange, June to Aug		80		00
		30	U	00
Hemerocallis aurantiaca major, oran		1 00		
and July	• • • • • • • • •		-	0.0
mava, remon yenow, sune		80		00
iuiva, biolize, August		80	-	00
" fulva fl. pl., bronze, double, Augu		80	6	00
" rutilans, orange, May and June		1 00		
Hesperis matronalis, pink and lilac, Ma		80	6	00
Heuchera Wheeleri, greenish, May and				• •
			0	00
" sanguinea, scarlet, May and June		1 00		00
Hibiscus militaris, pink, August and S	epi			00
Hieracium aurantiacum, orange, June		50		00
" stoloniferum, yellow, June		50	4	00
Hollyhocks (Althea Losea), various				
June to August		1 00	8	00
Hydrophyllum Canadense		80	6	00
Iberis sempervirens, Evergreen, white,	. April to			
June		1 00	8	00
" Tenoreana, white, April to June.			•	• •
Inula Helenium, Elecampane, yellow,				
" Consisti doop layondar May and		1 00		
Cengiaiti, deep lavender, May and		80		00
" cristata, light blue, May		80	6	00
" Florentina, white, May		80	6	00
" Germanica, assorted named varie	eties	75	5	00
Bessie, yellow and brown Canary Bird, lemon yellow sel Coelestine, delicate lavender sel Early Dwarf, mixed, blue and H. Cramer, delicate pale blue Lady Stumpp, lavender and dai La Tendre, lavender Mrs. Neubrouner, yellow Mrs. Chas. Wheeler (Nero), se falls dark purple Queen of May, rosy lilac self Mde. Chereau, white ground, free Yolande, blue and purple Silver King, pure white Josephine, purple	f yellow rk blue	petals	laveno	ler,
" laevigata (Kaempferi), assorted,	July	1 50	19	00
" pallida Dalmatica, lavender, June				00
" pallida checica, indigo May		1 00		00
" pallida speciosa, indigo, May " pseud-acorus, "Water Flag," yel	low Ma-	T 00	0	UU
" pseud-acorus, "Water Flag," yel	iow, May		_	0.0
and June		75		00
" Siberica, blue, June	• • • • • • • •	75		00
" Siberica, white, June		75	5	
" Siberica orientale, indigo blue, Ju		75	5	00
" spectabilis, dark blue, June		75	5	00
" stenophylla, blue, June		75	5	0.0
" tectorum, lavender, May			8	00
Lamium purpureum variegatum, pink,		75	5	00
Lathyrus, "Pink Beauty," 3-in. pots 1	t Tuno	10	U	00
to August	, эчне	1 00	8	00
to August				
grandinords, plant, bune to magas		1 00	8	0.0
grandinorus aibus, white, bune				
3-in. pots 1. t	• • • • • • • •	1 00	8	0.0

Lavendula vera, lavender, July and August	Pe	r 10 75	Per 100 5 00
" spica		75	5 00
Lilium auratum, "Gold-banded Lily of Japan,"		••	9,00
white spotted, July	1	00	8 00
" candidum, "Annunciation Lily," white, June	1	00	8 00
" elegans, yellow, July and August	1	00	8 00
" speciosum album, white, Aug. and Sept	1	00	8 00
" speciosum roseum, rose, August and Sep-			
tember, 5-in. pot	1	00	8 00
" superbum, orange red, July and August		75	5 00
" tigrinum splendens, "Tiger Lily," orange			
spotted, August		75	5 00
Lobelia cardinalis, "Cardinal Flower," cardinal,			
August, 2-in. pot		80	6 00
Lotus corniculatus, yellow, June to October		75	5 00
Lupinus polyphyllus, purple, April to June		00	8 00
" polyphyllus albus, white, April to June	1	00	8 00
Lychnis chalcedonia, scarlet, July	1	00	8 00
" diurna plena, red, June	1	00	8 00
" viscaria splendens, red, July	1	00	8 00
Lysimachia clethroides, white, July to Sept		80	6 00
" verticillata, yellow, July		80	6 00
" vulgaris, yellow, August		80	6 00
Lythrum Japonicum elatum		00	8 00
Mentha crispa, "Crested Mint"	1	00	8 00
" pulegium, "Pennyroyal"	1	00	8 00
" viridis, "Spearmint"	1	00	
Monarda fistulosa alba, white, Aug. and Sept	1	00	8 00
Myosotis palustris semperflorens, light blue,		0.0	0.00
April to June		80	6 00
Nepeta Glechoma variegata, blue, April and May	4	75	5 00
CEnothera speciosa, large white, June and July.		00	8 00
"Youngii, yellow, June to September	1	00	8 00
Optunia Rafinesqui, "Cactus," yellow, June		75	5 00
Paeonia arborea (Mountain), Tree Paeonia, assorted, May to July Each, .75	5	00	
" officinalis, early crimson, May and June	2	50	20 00
" officinalis alba, white, May and June		50	20 00
" sinensis Andre Lauris, red, June	2	00	15 00
" sinensis Festiva Maxima (true), white,			
June		00	50 00
" sinensis grandiflora rubra, immense red			
flower		00	15 00
" sinensis Humei, rose pink, June		00	15 00
smensis L'Esperance, pink, June		00	15 00
sinensis Queen victoria, pure winte,		0.0	15 00
marked red		$\frac{00}{50}$	15 00 10 00
" sinensis seedlings		50	10 00
yellow		00	15 00
" sinensis Whitleyi	2		15 00
" tenuifolia fl. pl. (Fern-leaf Paeony), crim-	,		
son, May	2	00	15 00
Pachysandra terminalis, Evergreen, whitish,			
May		80	6 00
Papaver orientale, Oriental Poppy, scarlet, June	1	00	8 00
Passiflora incarnata, light blue, August and			
September, 4-in. pots	1	00	8 00
Pentstemon barbatus, red, June and July		00	8 00
" diffusus, blue, June		00	8 00
" digitalis, white, July		80	6 00

	Per 10	Per 100
Phlox amoena, pink, May " decussata, assorted	80 80	6 00 7 00
Carran de Ache, rosy carmine Champ Elysse, rich purple Boule de Feu, salmon scarlet Eugene Dangonvillers, lilac shaded white Gen. Chanzy, orange crimson La Cyne, large white Mde. P. Langier, bright red Pantheon, salmon rose Prof. Schliemann, bright lilac rose Princess Louise, dwarf, white, pink eye Queen, pure white	:	٠
T. H. Slocum, bright red, dark eye		
" subulata Nelsoni	75	6 00
" subulata rosea	75	6 00
" subulata Sadie, lavender, April to June	75	6 00
Physostegia denticulata, lilac white, July and August	75	6 00
Platycodon grandiflora, blue, July and August	75	6 00
" grandiflora album	75	6 00
" Mariesii, blue, dwarf, July and August	75	6 00
" Mariesii alba, white, July and August	75	6 00
Polemonium reptans, blue, May	75	6 00
" Richardsoni, blue, May	75	6 00
nicharusoni alba seeulings	75	6 00
Polygonum cuspidatum, white, August, Sept Primula Polyanthus, maroon edged, yellow,	60	5 00
April and June	1 00	8 00
" suaveolens, "Cowslip," various colors,	1 00	0 00
April and June	1 00	8 00
Pyrethrum roseum, shades of pink and red, May		
and June	1 00	8 00
" uliginosum	1 00	8 00
Ranunculus acris fl. pl., yellow, May and June	75	6 00
Rudbeckia fulgida, golden yellow, July and Aug "laciniata, Golden Glow, yellow, August and	80	6 00
September	75	5 00
" tomentosa, yellow, August	80	6 00
Salvia argentea, silvery foliage		8 00
" nutans, blue, June and July	1 00	
" officinalis	1 00	
Saponaria officinalis, pinkish white, August		* 00
and September	75	5 00
Saxifraga crassifolia, pink, March to April	80	6 00
Sedum album, Stonecrop, white, Aug. and Sept. "cruciatum	75 75	5 00
" hybridum, yellow, July and September	80	6 00
" Kamptschaticum, yellow, July and Sept	1 00	8 00
" spectabilis, pink, August and Sept	1 00	8 00
Spiraea aruncus, white, June and July	1 00	
" Japonica, white, May	1 00	8 00
" lobata-venusta White May and June	1 00	8 00
multimora compacta, white, may and sune.	1 00	8 00
" ulmaria alba plena, double white, June and July	80	6 00
Stachys lanata, pink, July	80	6 00
Statica latifolia, lavender, August	1 00	8 00
Stokesia cyanea, blue, July to September	80	6 00
Symphytum Asperrinum, blue, Aug. and Sept.	80	6 00
Thymus serpyllum, pink, May and June	80	6 00
" serpyllum splendens, pink, May and June. " serpyllum variegata, variegated foliage	80 80	$\begin{array}{cccc} 6 & 00 \\ 6 & 00 \end{array}$
" serpyllum variegata, variegated foliage " serpyllum variegata argenteum, 3-in. pot	80	6 00
" serpyllum variegata argenteum, 5-m. pot. :	30	5 00
3-in pot	80	6 00

	Pe	r 10	Per	100
Tradescantia Virginica alba, white, May, July		80	6	00
Tritoma uvaria Tuckii, brown red, June to Aug.	1	0.0	8	0.0
Valeriana officinalis, pinkish, May and June		80		00
Vernonia Jamesii-Lettermanii, purple, August		00	•	00
		60	c	00
and September		80	О	00
Veronica candida, silvery foliage, blue flowers,				
June and July		80		00
" circacoides, blue, June		80	6	00
" Hendersoni (longifolia subsessilis), blue,				
August	1	00	8	00
" Montana, blue, June and July	-	80		00
" Teucrium, blue, June		80		00
reactium, blue, June				
		80	ь	00
Viola cornuti alba, "Tufted Pansy," white, May				
and June		80	6	00
" odorata, "Sweet Violet," blue, April and				
May		80	6	00
" odorata alba, "Sweet Violet," white,		-	_	-
April and May		80	G	00
" odoratus Czar		80	б	00
HARDY FERNS				
A 141 (C) 11 (C) 11 (C) 11			_	
Aspidium acrostichoides, "Christmas Fern"		75		0.0
" cristatum, "Crested Shield Fern"		75	5	00
" marginale, "Marginal Fern"		75	5	00
" spinnulosum		75	5	00
" spinnulosum Thelyptera, "Lady Fern"		75	5	00
Asplenium angustifolium, "Narrow-leaved				~ ~
Spleenwort"		75	5	00
Oncolor reneibilia "Consitina Foun"				
Onoclea sensibilis, "Sensitive Fern"		75	5	00
Onoclea sensibilis, "Sensitive Fern" " Struthiopteria, "Ostrich Fern"	_	$\begin{array}{c} 75 \\ 75 \end{array}$	5 5	00 00
Onoclea sensibilis, "Sensitive Fern" " Struthiopteria, "Ostrich Fern" Osmunda cinnamomea, "Cinnamon Fern"	1	75	5 5	00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern".		$\begin{array}{c} 75 \\ 75 \end{array}$	5 5 8	00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern".		$75 \\ 75 \\ 00$	5 5 8	00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod"	1	75 75 00 00 75	5 5 8 8	00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod"	1	75 75 00 00 75 00	5 5 8 8 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum.	1	75 75 00 00 75 00 75	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod"	1	75 75 00 00 75 00	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum.	1	75 75 00 00 75 00 75	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken.	1	75 75 00 00 75 00 75	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum.	1	75 75 00 00 75 00 75	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken.	1	75 75 00 00 75 00 75	5 5 8 8 5 5 5	00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES	1	75 75 00 00 75 00 75 75	5 8 8 8 5 5	00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green	1 1	75 75 00 00 75 00 75 75	5 5 8 8 8 5 5 5	00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata	1 1 1 2	75 75 00 00 75 00 75 75	5 5 8 8 8 5 5 5	00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata.	1 1 1 2 2	75 75 00 00 75 00 75 75	5 5 8 8 8 5 5 5	00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo.	1 1 2 2 2	75 75 00 00 75 00 75 75	5 5 8 8 8 5 5 5 12 17	00 00 00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata.	1 1 2 2 2	75 75 00 00 75 00 75 75	5 5 8 8 8 5 5 5 12 17	00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata.	1 1 2 2 2	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 12 17	00 00 00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca	1 1 2 2 2 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 5 12 17	00 00 00 00 00 00 00 00 00 00 00 00
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass.	1 1 2 2 2 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 7 7 8 8 8 8 10	00 00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica gracillima invitata.	1 1 2 2 2 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 5 12 17	00 00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica gracillima invitata. " Japonica variegata, green and white	1 1 2 2 2 1 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 12 17	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Elymus glauca Eulalia Japonica, False Pampas Grass " Japonica gracillima invitata. " Japonica variegata, green and white striped	1 1 2 2 2 1 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 7 7 8 8 8 8 10	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica variegata, green and white striped " Japonica Zebrina, green, barred with	1 1 2 2 2 1 1 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 12 17 8 8 10 10	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica gracillima invitata. " Japonica variegata, green and white striped " Japonica Zebrina, green, barred with bronze yellow.	1 1 2 2 2 1 1 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 12 17	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica variegata, green and white striped " Japonica Zebrina, green, barred with	1 1 2 2 2 1 1 1 1 1	75 75 00 00 75 00 75 75 75	5 5 8 8 5 5 5 5 12 17 8 8 10 10	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green. " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica gracillima invitata. " Japonica variegata, green and white striped " Japonica Zebrina, green, barred with bronze yellow.	1 1 2 2 2 1 1 1 1 1	75 75 00 00 75 00 75 75 50 00 00 50 50 50 50	5 5 8 8 5 5 5 5 12 17 8 8 10 10	00 00 00 00 00 00 00 00 50
Onoclea sensibilis, "Sensitive Fern". " Struthiopteria, "Ostrich Fern". Osmunda cinnamomea, "Cinnamon Fern". " Claytoniana, "Flowering Fern". " vulgare, "Rock Polypod". " regalis, "King Fern". Polypodium hexagonopterum. Pteris aquilina, Brake or Braken. HARDY GRASSES Arundo Donax, the Giant Reed, bluish green " Donax variegata " phragmites aurea variegata. Bambusa Metake, Evergreen Bamboo. Calamagrostis stricta variegata. Elymus glauca Eulalia Japonica, False Pampas Grass. " Japonica gracillima invitata. " Japonica variegata, green and white striped " Japonica Zebrina, green, barred with bronze yellow Gynerium argenteum, True Pampas Grass	1 1 2 2 2 1 1 1 1 1 1 2	75 75 00 00 75 00 75 75 50 00 00 50 50 50 50	5 5 8 8 5 5 5 5 12 17 8 8 10 10 10	00 00 00 00 00 00 00 00 50

Nurserymen's Supplies

THE BEST NURSERY SPADE

Either Square or Taper Blade



D Handle, Double Strap, Reinforced Nursery Spade. Weight, 91/4 lbs.

We have experimented with a number of different makes of nursery spades, but find this to be the strongest, best and most durable on the market. We have been using this spade for a number of years, and it will stand more hard work than any other make. It is strapped full length of handle, both back and front, and half way up it has double straps, strengthening it in what otherwise would be its weakest parts. When ordering state if straight or taper blade is wanted. Price, \$1.75 each; \$20.00 per doz

PRUNING SHEARS, BUDDING AND PRUNING KNIVES

The sheers and knives offered, excepting the "Empire," are the celebrated "Maher & Grosh" make, which is sufficient guarantee of their excellence. No better knives are made. All blades are guaranteed "razor steel" and have been thoroughly tested.

Bear in mind, our prices are for the goods POSTPAID at your risk. If you wish them by registered mail add eight cents to your order.

PRICES INCLUDE POSTAGE

Pruning Knife "B," 85c. each, 6 for \$4.75

Round handle, steel cap on end. Strong blade. Made for nurserymen who want a strong tool and keen edge. Blade oil tempered. The strongest pruning knife made.

Budding Knife "C," 25c. each, 6 for \$1.30 Stationary blade. High temper, equal to any razor.

Cocoa handle, razor steel. Blade closes. The end of the handle is tapered to form a wedge for raising the bark.

Pruning Shears "F," \$1.00 each, 6 for \$5.75

This is a forged steel pruner, patent spring of wonderfully easy but powerful working capacity. There is not a stronger or better pruning shear on the market. It will out-wear two of any other style. The best is the cheapest in the end.

RAFFIA. RED STAR BRAND

I lb I lb (postpaid) .	15 cts. per lb.	Order "Red Star" brand and you will get raffia of a good,
25 lbs	11 " "	even grade. No risk attached
100 lbs	9½ " "	for we replace any that proves inferior. Fair, is it not? Ask
1 bale (about 225 lbs 2 bales	83/ " "	for sample. We'll pay the
5 bales	81/2 " "	postage.

NURSERYMEN'S SUPPLIES.-Continued LABELS

The following are the kinds mostly used by nurserymen. For 10,000 or more we allow a discount of to per cent. 1,000 of $3\frac{1}{2}$ -inch and 100 6-inch in a package. Not less than a full package sold.

31/2-	inch,	notched,	iron-wired, painted		\$1.00 per 1000
31/2	6+	4.6	copper-wired, painted		1.25 "
6	44	44	painted, but not wired		2.35 "
6	4.6	44	not painted nor wired		1.75 ''

NEPONSET PAPER FLOWER POTS

UNBREAKABLE, LIGHT, ECONOMICAL

Plants and Cuttings packed for shipment in our Neponset Flower Pots

have a better protection than when wrapped in papers.

A great saving in freight is made over clay pots, weighing only one-tenth as much and no breakage. Made from the celebrated Neponset paper, which is absolutely water-proof. They are so constructed as to give ample drainage and allow plenty of air to the roots of the plant.

Send for sample and prices on seven different sizes, and compare with

clay pots.

Size	Pot	,	Per 100		Weight per 1000 pots	Size		Per 100		Weight per 1000 pots
21/4			\$0.25	\$2.20	20 lbs.	4		\$0.80	\$6.90	38 lbs.
2 1/2			.30	2.40	23 "	5		1.20	10.35	56 "
3			-45	3.90	33 "	6		1.65	14.55	74 ''
$3\frac{1}{2}$.60	5.15	44 ''					

REGISTERING TREE CALIPER

Capable of measuring a tree from 1/2 inch up to 4 inches caliper. Can be adjusted to any size within this capacity. Nickel-plated. Postpaid for 75 cents.

TREE AND SHRUB SEEDS

We issue a special catalogue of these. It will be mailed on application.

OUR BOOK DEPARTMENT

We have made it a point to keep posted on the different works pertaining to agriculture and horticulture, and if you need a book treating on any particular phase of these subjects write us for a list.

Here are two books of which we have sold a great many copies:

Fumigation Methods. By Willis G. Johnson, formerly State Ento-mologist of Maryland. A practical treatise upon new, cheap, simple and effective methods of exterminating insect pests and various other vermin in fruit orchards, greenhouse, nursery, mill, granary, elevator car, ship and other enclosures. Written in a popular non-technical style. Profusely illustrated. 5 x 7 inches; 250 pages; cloth; price, \$1.00 postpaid.

Nursery Book. By Prof. L. H. Bailey of Cornell University. Eighth edition. This is a standard work of reference and is simply essential to every nurseryman. Thoroughly practical and describes fully and clearly the processes of budding, grafting, seed-sowing, etc., as well as many other important items of nursery work, with convenient indexes, etc.; 365 pages; 162 illustrations; price, postpaid, \$1 00.

A synopsis of either of the above books will be sent on application.

THE GARDEN-CRAFT SERIES

THE GAME OF THE SERVICES		
The Horticulturist's Rule Book. Eighth edition, 312 pa	ges, 7	5 cents.
The Nursery Book. Eighth edition, 365 pages,		
Plant-Breeding. Third edition, 293 pages,		\$1.00
The Forcing Book. Fourth edition, 266 pages,		\$1.00
Garden Making. Fifth edition, 417 pages,		\$1.00
The Pruning Book. Fourth edition. 545 pages,		\$1.50
The Practical Garden Book. Second edition, 250 pages,		\$1.00

Apple, Western

6.6

FRUIT SEEDS

Peach. Tennessee Natural. The small pits 15c. per lb. \$1.75 per bu. Apple, French Crab. 40c. per lb.; \$10.00 per bu.; 3 bus. at \$9.75 per bu.; 5 bus. at \$9.50 per bu; 10 bus. or over at \$9.00 per bu.

Cherry, Mazzard. Crop limited. Supply exhausted.

Mahaleb. 40c. per lb.; \$17.00 per bu.; 3 bus. at \$16.00 per bu.; 5 bus. at \$15.00 per bu.

Plum. Myrobolan. 40c. per lb.; \$11.00 per bu.; 3 bus. at \$10.00 per bu.; 5 bus. at \$9.00 per bu.

Pear, French. Prices later. Inquire now.

Kieffer. \$2.25 per lb.; 25 lbs. at \$2.00 per lb; 50 lbs. or over at \$1.75 per lb.

Quince. \$1.50 per lb.; 5 lbs. at \$1.25 per lb.; 10 lbs. at \$1.00 per lb. If to be sent by mail add at the rate of 10 cents per pound to cover postage. Sacks and box and packing charged additionally.

FRUIT STOCKS

		Per 100
	¼ in. and up	\$ 0.75
	$\frac{3}{16}$ and up	.60
	2 to $\frac{3}{16}$.50
	First Grade	1.50

Per 1000

\$5.25

4.00

	•	•	•	16 and up	.00	4.00
16 66				2 to $\frac{3}{16}$.50	3.00
" Paradise				First Grade	1.50	12.00
Pear, French				6 to 10 mm.	1.25	11.50
66 66			•	5 to 6 mm.	1.00	8.25
66 **				3 to 5 mm.	. 65	.5.00
Cherry, Mazzard				6 to 12 mm.	1.75	10.50
66 66			,	3 to 5 mm.	.75	5.50
Cherry, Mahaleb			٠.	4 to 9 mm.	.75	5.50
66 66				3 to 4 mm.	.60	4.50
Plum, Myrobolan			·,"	5 to 7 mm.	-75	5.50
"				3 to 5 mm.	.60	4.00
Quince, Angiers			. •	7 to 12 mm.	1.25	11.00
4.6 4.6				4 to 6 mm.	1.00	8 00

Box and packing charged additionally at cost.

MANETTI ROSE STOCKS

5 to 10 mm. at \$1.25 per 100; \$10.00 per 1000 Medium grade at \$1.00 per 100; \$9.50 per 1000; \$9.00 per 1000 in lots of 10,000 and over.

These medium stocks have been graded especially for us and are of a size suitable for florists' use. They average about 5 mm. and are nicely rooted. We seldom secure enough of this particular grade to fill all orders, and although we have about 50,000 still unsold at this writing, it will be well not to defer placing your order.

Box and packing charged additionally at cost.

CONDITIONS OF SALE,—All offers and acceptances of orders are subject to our receiving the full quantity for which we have placed orders with our growers and seed collectors. Failing to get these amounts from them, we reserve the right to reduce proportionately all orders that

have been booked.

GUARANTEE. While we try to procure the very best seed on the market, we give no guarantee, either expressed or implied. Samples will always be furnished when applied for. If the seeds are not accepted on these terms, we must be notified at once. If they are kept it will be taken as proof that they are satisfactors.

ALL CLAIMS must be made upon receipt of goods. RESPONSIBILITY.—After goods are placed on board cars here we assume no responsibility for their sale delivery.

WHITE PINE SEED

Fresh seed. Not plentiful. We have only a small quantity when compared with the large amount now used for forest planting. Order NOW if you wish any.

\$2.75 per lb.; 30 cts. per oz.

Seeds for Forestry Purposes

EVERGREENS

	₩ 1b.	
Abies alba, White Spruce	\$3.75	.40 🕆 oz.
" excelsa, Norway Spruce	.85	.15 ''
" nigra, Black Spruce	3.00	.30 ''
Juniperus Virginiana, Red Cedar	65	.10 ''
Picea balsamea, Balsam Fir	1.25	.15 ''
" pectinata, Silver Fir	. 50	.10 "
Pinus Austriaca, Austrian Pine	1.75	.20 "
" ponderosa (from Colorado)	2.00	.25 ''
" resinosa, Red Pine	7.00	.75 ''
" rigida, Pitch Pine	2 50	.30 ''
" sylvestris, Scotch Pine	1.60	.20 "
Thuja occidentalis, American Arbor-vitæ	2.00	.25 ''

DECIDUOUS TREES

DECIDUOUS TREES		
Acer Saccharinum, Sugar Maple	.85	.15 ''
Carya alba. Shellbark Hickory	.35	3.50 ₱ bu.
Caralpa speciosa, Western Catalpa	1 00	.15 🕆 oz.
Fraxinus Americana, American Ash	.50	.10 ''
Juglans cinerea, Butternut	.15	2.00 🖰 bu.
" nigra, Black Walnut	.15	2.00 ''
Larix European, European Larch	1.50	.15 🖗 oz.
Liriodendron tulipifera, Tulip Poplar	.75	.10 ''
Quercus bicolor. Swamp White Oak	.30	4.50 ⅌ bu.
" macrocarpa, Burr or Mossy Cup Oak	.30	4 50 ''
" rubra, Red Oak	.30	3.50 ''
Robinia pseud-acacia, Yellow or Black Locust	. 50	.10 🖗 oz.
Taxodium distichum, Deciduous Cypress	1 00	.15 ''
Tilla Americana, American Linden	1.00	.20 ''
Ulmus Americana, American Elm	1.25	.15 ''

POSTAGE CHARGED ADDITIONALLY.

In view of the uncertainty of the crops it is advisable to place orders as early as possible. In fact, some seeds—notably, White Oak and Chestnut—are difficult to carry on hand, so orders for these must be placed in advance. Catalogue of tree and shrub seeds free.

Thomas Meehan @ Sons, Inc.

Wholesale Nurserymen and Tree Seedsmen

DRESHERTOWN, PENNSYLVANIA



Crown Carly.

Fruit Stocks and Seeds Manetti Rose

THOMAS MEEHAN @ SONS, Inc.

Wholesale Nurserymen Importers

Dreshertown, Montg. Co., Pa.

FRUIT SEEDS

We spare no expense to procure the best. Naturally they cost more but the experienced growers share our opinion that quality demands first consideration; price secondary.

We are in touch with most reliable sources, both here and abroad and offer the following seeds as being the best obtainable. Samples free.

It is to your advantage to order early.

French Crab

We supply most of the western growers so our seed must prove satisfactory. One customer wrote last spring: "The seed was of the finest quality and has given ideal results. If you are booking orders for next season you may enter our order for * * *." Another large grower wrote: "Your favor received with sample of crab seed, which is fine; we think the seed is better this year than usual, but have seen none as good as the sample you sent us." These expressions are but natural for the seed comes from an excellent source.

40c, per lb; \$10.00 per bu; 3 bus, at \$9.75 per bu; 5 bus, at \$9.50 per bu; 10 bu or over at \$9.00 per bu.

Crab Seed for Fall Planting

For those desiring to plant in the autumn we offer a limited amount of last season's crop at the same price. This seed has been kept in cold storage all summer and is as fresh and plump as the day it was collected. Write for samples.

Conditions.—All offers and acceptances of orders are subject to our receiving the full quantity for which we have placed orders with our growers and collectors. Pailing to get these amounts, we reserve the right to reduce proportionately all orders that have been booked.

ALL ORDERS SHOULD BE PLACED EARLY.

October 25, 1905.

Kieffer Pear

We are headquarters. The seed is extracted and cured under our personal supervision. Fresh seed of finest quality.

\$2.25 per lb.; 25 lbs. at \$2.00 per lb.; 50 lbs. or over at \$1.75 per lb.

Peach Pits

These are the genuine small southern natural seeds, which as all growers know, produce the best seedlings.

Our supply is limited. Order now. STOCK EXHAUSTED.

15c. per lb.; \$1.75 per bu.; 25 bus. at \$1.50 per bu.

French Pear

New crop will not be ready until usual time—about February, but if Autumn planting is desired we have a small quantity of last year's seed at same price. It has been kept in cold storage and is in fine condition. Sample free.

\$1 25 per lb.; 5 lbs. at \$1.10 per lb.; 10 lbs at \$1.00 per lb., and 50 lbs. at 95c per lb.

Myrobolan Plum

Good, sound seed. Importation just arrived. Supply limited.

40c. per lb.; \$11.00 per bu.; 3 bus. at \$10.00 per bu.; 5 bus. at \$9.00 per bu.

Quince

Fresh seed. Will be ready about the latter part of January or early in February.

\$1.50 per lb.; 5 lbs at \$1.25 per lb.; 10 lbs at \$1.00 per lb.

While we try to procure the very best seeds on the market WE GIVE NO GUARANTEE, either expressed or implied. Samples will always be furnished when applied for. If the seeds are not accepted on these terms, we must be notified at once. If they are kept it will be taken as proof that they are satisfactory. All claims must be made upon receipt of goods.

FRUIT STOCKS

Needless to say our stocks are of first-class quality in every instance—healthy and possess good roots. It may avert disappointment to order early.

		Per 100	Per 1000
APPLE, Western,	¼ in and up	\$0.75	\$5.25
66 66	3-16 in. and up	.60	4 00
66 66	2 to 3-16	.50	3.00
" Paradise	First grade	1.50	-
Pear, French	6 to 10 mm.	1.25	11.50
66	5 to 6 mm	1.00	8.25
44 64	3.10.5 mm.	65	5.00
CHERRY, Mazzard	6 to 12 mm.	I 75	10.50
66 66	9 to 5 mm.	.75	5.50
" Mahaleb	4 to 9 mm.	•75	5 50
66 66	3 to 4 mm.	.60	4.50
Plum, Myrobolan	5 to 7 mm.	•75	5.50
"	3 to 5 mm	.60	4.00
QUINCE, Angiers	7 to 12 mm.	1.25	11.00
" "	4 to 6 mm.	1.00	8.00

Box and packing charged additionally at cost.

MANETTI ROSE

Special Size for Florists

We have met the difficulty experienced by florists in securing Manetti of an even and suitable size for their purposes, by making a special grade of selected stocks. Not the large kind as generally used by nurserymen, nor the very small "-pindley" sort, but of a medium thickness, suitable for potting in $2\frac{1}{2}$ inch pots—just right for florists—and nicely rooted.

This is the first season that we have been able to secure a quantity above the number required for advance orders. They are in great demand. Better order early.

\$1,00 per 100; \$9.50 per 1000; \$9.00 per 1000 in lots of 10,000 and over.


Large Manetti Stocks

This is the size sought by most nurserymen. They average 5 to 10 mm. (approximately one to two-fifths of an inch). Better rooted than most stocks.

\$1.25 per 100; \$10.00 per 1000,

THOMAS MEEHAN @ SONS, Inc. Wholesale Nurserymen Importers

Dreshertown, Montg. Co., Pa.



5 bales	1 bale (2 bales	\$0 pounds	f pound (A. S.	
	bale (about 225 lbs. bales	# 15	pound (postpaid pounds)	٤	A. Fi	
	98.)					
. 815c. "	. 9¢	. 9%c. "	. 30c.	50 100		

Inomas Lechan Loons, Inc.

Dreshertown, Montgomery County, Penna.

THE MEANING OF "RED STAR" BRAND

"Quality guaranteed" and you have it in a nut shell. The expression is trite, 'this true, but do you know the extent of its significance when applied to Raffia? There is no commodity under the sun the quality of which is more uncertain and uneven, too than Raffia. The natives of Mada gascar pay scant attention to uniformity in packing. Some of the finest material we ever saw and represented to be of an A number one grade, came to this country with a let of coarse, green strands mixed

You can appreciate then, the confidence we have in "Red Star" brand when as when to replace any that proves inferior.

brough it.

⁶ Red Star ⁹ brand is a good, even grade. Not always the cheppest in price, but the most satisfactory kind in the market. Will you have a free sample?

(0)

Soc each, 6 for \$4,50	35c each, 6 for \$2.00	services. C Communication
The hest.		
Ivory, especied handle,	steel. Blade closes.	
"Forpute," Made especially for us. Temy, especial families. The less:	"D." Cocoa, tapered handle. Best steel. Blade closes.	ionary blade
" Empire,"	D." Coc	"C." Stationary blade

PRUNING MAIVES

5	for
0	9
75c cach,	85c each,
250) <u>5</u> C
	٠
	٠
	Cap.
	steel
	with
.080	<u>=</u>
Flor general	hand
5 5 5 5 7	ouno
_	\simeq
WC181	lade,
EISEM WORD	trong I
	better.
A HOURS	Much
	:
:	==:
	:

r #3.75

LABELS

Prices include cost of postage

_		
7.5	E	
5	=	
77	=	
S.C.	fra.	
<u>-</u>	s,	
.60.	of less than a full	
Ξ	×	
ē	Z	
900		
0,6	90	
	2	
Ę	217	
_		
Ë	Ξ.	
me	1.	
À	9	
FSC	Ġ	
น	Õ	
>	=	
mostly used by nurserymen. For 10,000 or more we allow	oo of 335-inch and too 6 inch in a package.	
308		
11	9	
311)	÷	
000	3.5	
=	Ų.,	
36	0	
, <u>=</u>	90	
owing are the kinds n	-	
<u></u>		
33	.100	
弘	Ĭ.	
WIL) (F.F.	
Ho	0	
<u>_</u>	or to per c	150
he	9	S
	111	38
	10.3	143
	2	Dac

Ē	000				
E 0	\$1.00 per 1000	3	,,	1.75	
: IE	00.	1.25	2.35	.75	
<u>S</u>	**	Ī			
Ž		,			
erkage.	,	٠	•		
<u> </u>		٠	٠		
ch m				٠	
G G		•	•		
100	,	٠	•		
a Be					
-mch	¢		Ę,		
o of 355	painted	• •	Painted, but not wired	not painted or wired	
90,1	wired,	copper "	ed, but	ainted	
Ĩ.	iron	ddoo	Pafriff	not p	
Isrount of to per cent. It ooo of 3½ meh and too 6 meh in a package. Not less than a full ackage sold.	12-inch, notched, iron wired, painted		;	÷	
rseogni of ro ackage sold.	inch,		ï	:	
3 2	201	72			

Thomas Meehan & Sons, Inc., IMPORTERS, Dreshertown, Pa.

Evergreens for Window Boxes

Every plant is a specimen. They possess not only that shapely, well-balanced appearance—in some instances obtained only by shearing—but, having been transplanted recently, their root system is all that could be desired.

Five of a kind at the 10 and 25 at the 100 rate. Box and packing charged additionally at cost

		Per 10	Per 100
Arber Vitm Haver's Colden	8 to 12 in.		\$20 00
Arbor Vitæ, Hovey's Golden,	12 to 18 in.	3 00	φ20 00
44	15 to 18 in.	3 50	30 00
66	18 to 24 in.	5 00	JU 00
" A :	18 to 24 in.	1 25	10.00
" American,			10 00
" DILL'CH	$2\frac{1}{2}$ to 3 ft.	3 50	30 00
" Peabody's Golden,	12 to 18 in.	3 50	
**	18 to 24 in.	5 00	
	3 ft.	13 50	
" Pyramidal,	3 to 4 ft.	7 50	75.00
	4 to 4½ ft.	8 50	75 00
Spiral,	2 ft.	5 00	
"	$2\frac{1}{2}$ to 3 ft.	7 50	
" American Globe,	8 to 12 in.	2 50	20 00
"	l ft. broad	3 00	25 00
	oad and heavy		30 00
" Berckman's Golden,	8 to 10 in.	3 50	30 00
"	12 to 15 in.	4 00	35 00
	18 to 24 in.	5 00	
Fir, Balsam,	18 to 24 in.	1 75	15 00
"	2 to $2\frac{1}{2}$ ft.	2 50	20 00
Juniper, Irish,	12 to 18 in.	1 25	10 00
" "	3 to 3½ ft.	3 50	30 0 0
46 66	3½ to 4 ft.	5 00	40 00
" Compact Swedish,	18 to 24 in.	2 50	
" "	2 to 2½ ft.	3 50	
Retinispora, obtusa compacta,	1 ft.	3 00	25 00
"	15 to 18 in.	3 50	30 00
44 44	18 to 24 in.	5 00	
" plumosa, Green,	8 to 12 in.	1 50	10 00
" " "	12 to 15 in.	1 75	15 00
	18 to 24 in.	3 50	30 00
66 66 66	2 to 2½ ft.	4 00	30 00
" plumosa, Golden,	8 to 12 in.	3 00	25 00
" " Golden,	12 to 15 in.	3 50	30 00
44 44 44	18 to 24 in.	4 00	35 00
44 44 44	3 ft.	13 50	JJ 00
" squarrosa, Silver,	6 to 8 in.	1 50	10 00
squarrosa, Driver,	8 to 10 in.	3 00	25 00
66 66	12 to 15 in.	3 50	30 00
66 66 66	18 to 24 in.	4 00	35 00
Spruce, Norway,	1 to 2 ft.	1 35	12 00
Spidee, Norway,	18 to 24 in.	1 75	15 00
" White,	12 to 18 in.	1 35	12 00
wille,	12 to 10 III.	1))	12 00

If interested in larger stock suitable for lawn specimens or planting in tubs, write for our illustrated booklet "Specimen Evergreens."

THOMAS MEEHAN @ SONS, Inc.

WHOLESALE NURSERYMEN

Dreshertown, Montg. Co., Pa.



Index of Departments

Page	Page
DECIDUOUS TREES 1-12	
SHRUBS13-28	FERNS AND GRASSES 41
EVERGREENS	NURSERYMEN S SUPPLIES42-43
VINES33—35	FRUIT STOCKS AND SEEDS 44

Index of Common Names

Demo	Dago	D
Page	Page	Page Page
Actinidia 33	Elm 12	Pipe Vine
Adams Needle 33	Empress Tree 8	Planera 8
Ailanthus 3	Euonymus 17, 34	Plane Tree 8
Akebia 33	Filbert, Purple Leaf 15	Plum, Purple 8
Alder 3, 13	Fir 30	" Flowering 21
Almond, Flowering 13	Fringe, White 14	.Poplar 8
Althæa 18	Gingko 11	Privet 19, 20
Andromeda	Glycine 35	Pterostyrax 8
Apples, Flowering 9, 21	Golden Bell 17, 18	Quince, Japanese 21
Aralia3, 13	Grape, Wild 35	Red Bud 5, 14
Arbor vitæ29, 32, 33	Hawthorn 16	Retinispora 31, 32
Arrow-wood 26	Hazel Nut	Rhododendron 32
	Heath 29	
Ash 6		Rhodora22
	Hemlock 28	Rhodotypus 22
1 11CE 19 20	Hercules Club 3, 13	Robinia
Azalea 13, 14, 29	Hickory 4	Rose Acacia 11
Baccharis 14	Hobblebush 27	Roses 22, 23, 24
Barberry 14	Holly, Deciduous 19	Rubus 24
Beech 6	Honeysuckle, Bush 20	Russian Olive 17
Birch 4	" Climbing 34	Sea Buckthorn 18
Bitternut 4	Hop Tree 8, 21	Sheepberry 27
Black Haw 27	" Vine 34	Shellbark 4
Bladder Nut 25	Hornbeam 4. 14	Siberian Pea 14
" Senna 15	Hydrangea 19	Silver Bell 18
"Blue Spiræa" 14	Hypericum	Smoke Tree 22
Box 29	Indian Currant 25	
	Indigo Shrub 13	
		Snowberry 25
Bridal Wreath 25	Ironwood 8	Sophora 12, 24
Buckeye 3	Ivy 33, 34	Sorrel Tree 3
Buckthorn 21	Jasmine 34	Spice Bush 20
Buddleia 14	Judas	Spiræa 24, 25
Burning Bush 17	June Berry 13	Spruce 28, 29, 30
Butternut 7	Juniper 29, 30	Staff Vine 33, 34
Button Bush 14	Kentucky Coffee 7	Stephanandra 25
Callicarpa 14	Kerria 19	Stuartia 25
Catalpa 4	Laburnum 16	Styrax
Cedar 30	Laurel 30	Sumach 22
Cercidiphyllum 5	Lilac25, 26	Sweet Gum 7
Cherry 5	Linden 12	Sweet Shrub 14
" Double Flower'g 5	Locust 7. 11	Sycamore 8
Chestnut, Horse 3	Madeira Nut 7	" Maple 2
" Sweet 4	Magnolia 7	Tamarix 26
Cinquefoil	Mahonia 30	Tree of Heaven 3
Clematis 34	Maiden Hair Tree 11	
Cork Tree, Chinese 8	Maple 1	Trumpet Vine 33
Cornelian Cherry 15		
		Umbrella Tree 7
Cotoneaster 15	Maples, Japanese 2, 3	Varnish Tree 7
Cranberry, High-bush. 27	Matrimony Vine 34	Virginia Creeper 33
Currant, Flowering 22	Mist Bush 22	Virgin's Bower 34
Cypress	Mock Orange20, 21	Vitex 28
" Deciduous or Bald 12	Moon Seed 34	Walnut 7
Daphne 16	Mulberry 7	Wax Myrtle 30
Decumaria 34	Oak9, 10, 11	Weigela 23
Desmodium 16	Peach, Flowering 3	Willow11, 12
Deutzia 17	Pearl Bush 17	Wistaria 35
Diervilla 17	Pecan Nut 4	Wych Hazel 18
Dimorphanthus 6	Pepper Bush 14	Yam 34
Dogwood 5, 6, 15	Persimmon 6	Yellow Wood 5
Dutchman's Pipe 33	Photinia	Yew 32
Elder 24	Pine 30, 31	Zanthorhiza 28
	1 1110	Danision in Later 1997



Quercus rubra. Red Oak.

THE use of our American Oaks for Street, Avenue and Boulevard planting is not a new idea. It has been going on for years and in Washington, Boston and Baltimore may be found many streets where Oaks are successfully used for this purpose.

The Oak is not a slow grower, as is commonly supposed. On the contrary under ordinary conditions and if properly planted it will make as much growth in a year as the Norway and Sugar Maple and give greater satisfaction.

In most cities it is difficult to grow shade trees. They do not get sufficient water and the soil is poor, consequently it is necessary to use deep-rooted trees. In this respect the Oak is especially good.

All sorts of insects prey on the leaves of trees to more or less extent, and in cities they are particularly troublesome—but they do not attack the Oak.

In planting Oaks it is necessary that they be severely pruned at once—all side branches should be cut back to about a foot from the main stem. If this is done, every tree will grow and the new shoots will make from one to two feet the first year.

For street planting we particularly recommend the Pin Oak. Our stock of Oaks of all sizes is the largest in the country.

THOMAS MEEHAN & SONS, INC.

Wholesale Nurserymen

Dreshertown, Montgomery Co., Pa.